

**11. Appendix A**

**Shoreline Sensitivity Ranking**

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 2    | 6202       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 36                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.10           | 4.66           |                   |               |
|      |            | Capelin              | 21                   | 4                  | 0.5               | 5.93           | 10.37          |                   |               |
|      |            | Gulls                | 17                   | 3                  | 0.5               | 3.60           | 6.30           |                   |               |
|      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.53           | 0.93           |                   |               |
| 3    | 6202       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 37                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            | Capelin              | 21                   | 4                  | 0.5               | 7.64           | 13.36          |                   |               |
|      |            | Deep sea shrimp      | 7                    | 3                  | 1                 | 3.82           | 6.68           |                   |               |
|      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.68           | 1.19           |                   |               |
| 4    | 6202       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 40                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.40           | 3.59           |                   |               |
|      |            | Alcids               | 25                   | 1                  | 0.5               | 1.36           | 2.38           |                   |               |
|      |            | Arctic Char          | 14                   | 3                  | 0.5               | 2.29           | 4.00           |                   |               |
|      |            | Capelin              | 21                   | 2                  | 0.5               | 2.29           | 4.00           |                   |               |
|      |            | Deep sea shrimp      | 7                    | 3                  | 1                 | 2.29           | 4.00           |                   |               |
|      |            | Gulls                | 17                   | 2                  | 0.5               | 1.85           | 3.24           |                   |               |
|      |            | Lumpsucker           | 15                   | 4                  | 0.25              | 1.63           | 2.86           |                   |               |

| Area       | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 5          | 6202       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 36                | High          |
|            |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 10.00          | 20.00          |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 1.23           | 1.85           |                   |               |
|            |            | Deep sea shrimp      | 7                    | 3                  | 1                 | 1.18           | 2.06           |                   |               |
|            |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.21           | 0.37           |                   |               |
| 6          | 6201       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 21                | Low           |
|            |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 1.25           | 1.88           |                   |               |
|            |            | Deep sea shrimp      | 7                    | 1                  | 1                 | 0.40           | 0.70           |                   |               |
| 7          | 6202       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 22                | Moderate      |
|            |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 1.02           | 1.53           |                   |               |
|            |            | Capelin              | 21                   | 1                  | 0.5               | 0.49           | 0.85           |                   |               |
|            |            | Deep sea shrimp      | 7                    | 2                  | 1                 | 0.65           | 1.13           |                   |               |
| Lumpsucker | 15         | 2                    | 0.25                 | 0.35               | 0.61              |                |                |                   |               |
| 8          | 6202       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 32                | Moderate      |
|            |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 2.66           | 3.99           |                   |               |
|            |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.69           | 2.96           |                   |               |
|            |            | Capelin              | 21                   | 3                  | 0.5               | 3.81           | 6.67           |                   |               |
|            |            | Gulls                | 17                   | 1                  | 0.5               | 1.03           | 1.80           |                   |               |
| Lumpsucker | 15         | 3                    | 0.25                 | 1.36               | 2.38              |                |                |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 9    | 6202       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 30                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.87           | 4.31           |                   |               |
|      |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.83           | 3.20           |                   |               |
|      |            | Capelin              | 21                   | 1                  | 0.5               | 1.37           | 2.40           |                   |               |
|      |            | Lumpsucker           | 15                   | 2                  | 0.25              | 0.98           | 1.71           |                   |               |
| 10   | 6202       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 50                | Extreme       |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.79           | 5.68           |                   |               |
|      |            | Arctic Char          | 14                   | 4                  | 0.5               | 4.82           | 8.44           |                   |               |
|      |            | Capelin              | 21                   | 3                  | 0.5               | 5.43           | 9.50           |                   |               |
|      |            | Gulls                | 17                   | 3                  | 0.5               | 4.39           | 7.69           |                   |               |
|      |            | Lumpsucker           | 15                   | 2                  | 0.25              | 1.29           | 2.26           |                   |               |
| 11   | 6201       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 26                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 1.90           | 2.85           |                   |               |
|      |            | Capelin              | 21                   | 1                  | 0.5               | 0.91           | 1.59           |                   |               |
|      |            | Cormorants           | 19                   | 1                  | 0.75              | 1.23           | 2.15           |                   |               |
|      |            | Seaducks             | 23                   | 1                  | 1                 | 1.98           | 3.47           |                   |               |
| 12   | 6201       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 16                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 1.70           | 2.54           |                   |               |
|      |            | Lumpsucker           | 15                   | 3                  | 0.25              | 0.87           | 1.52           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 13   | 6201       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 32                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.38           | 3.57           |                   |               |
|      |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.52           | 2.65           |                   |               |
|      |            | Capelin              | 21                   | 4                  | 0.5               | 4.55           | 7.96           |                   |               |
|      |            | Lumpsucker           | 15                   | 2                  | 0.25              | 0.81           | 1.42           |                   |               |
| 14   | 6201       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 36                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 10.00          | 20.00          |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 1.73           | 2.59           |                   |               |
|      |            | Seaducks             | 23                   | 2                  | 0.25              | 0.90           | 1.58           |                   |               |
|      |            | Human Use            |                      |                    |                   | 3.00           | 6.00           |                   |               |
| 15   | 6201       | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           | 30                | Moderate      |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.43           | 5.15           |                   |               |
|      |            | Arctic Char          | 14                   | 4                  | 0.5               | 4.37           | 7.64           |                   |               |
|      |            | Capelin              | 21                   | 2                  | 0.5               | 3.28           | 5.73           |                   |               |
|      |            | Harbour seal         | 18                   | 3                  | 0.25              | 2.11           | 3.68           |                   |               |

| Area                 | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 16                   | 6201       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 26                | Moderate      |
|                      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 2.17           | 3.25           |                   |               |
|                      |            | Alcids               | 25                   | 1                  | 0.5               | 1.23           | 2.16           |                   |               |
|                      |            | Arctic char          | 14                   | 2                  | 0.5               | 1.38           | 2.41           |                   |               |
|                      |            | Gulls                | 17                   | 1                  | 0.5               | 0.84           | 1.47           |                   |               |
|                      |            | Harbour seal         | 18                   | 3                  | 0.25              | 1.33           | 2.33           |                   |               |
|                      |            | Seaducks             | 23                   | 1                  | 0.75              | 1.70           | 2.97           |                   |               |
|                      |            | Seaducks breeding    | 23                   | 1                  | 0.75              | 1.70           | 2.97           |                   |               |
| Tube-noses Shoreline | 18         | 1                    | 0.5                  | 0.89               | 1.55              |                |                |                   |               |
| <hr/>                |            |                      |                      |                    |                   |                |                |                   |               |
| 17                   | 6201       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 21                | Low           |
|                      |            | Archaeological Sites |                      |                    |                   | 3.00           | 0.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|                      |            | Arctic char          | 14                   | 2                  | 0.5               | 2.55           | 4.45           |                   |               |
|                      |            | Harbour seal         | 18                   | 3                  | 0.25              | 2.45           | 4.30           |                   |               |
|                      |            |                      |                      |                    |                   |                |                |                   |               |
| <hr/>                |            |                      |                      |                    |                   |                |                |                   |               |
| 18                   | 6201       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 23                | Moderate      |
|                      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 2.21           | 3.31           |                   |               |
|                      |            | Harbour seal         | 18                   | 5                  | 1                 | 9.02           | 15.79          |                   |               |
|                      |            | Seaducks             | 23                   | 1                  | 0.5               | 1.15           | 2.02           |                   |               |

| Area              | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|-------------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 19                | 6201       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 21                | Low           |
|                   |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 2.00           | 3.01           |                   |               |
|                   |            | Alcids               | 25                   | 1                  | 0.5               | 1.14           | 1.99           |                   |               |
|                   |            | Harbour seal         | 18                   | 3                  | 1                 | 4.92           | 8.61           |                   |               |
|                   |            | Seaducks             | 23                   | 2                  | 0.25              | 1.05           | 1.83           |                   |               |
|                   |            | Seaducks breeding    | 23                   | 1                  | 0.25              | 0.52           | 0.92           |                   |               |
| 20                | 6201       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 24                | Moderate      |
|                   |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 2.00           | 3.00           |                   |               |
|                   |            | Alcids               | 25                   | 1                  | 0.5               | 1.14           | 1.99           |                   |               |
|                   |            | Gulls                | 17                   | 1                  | 0.5               | 0.77           | 1.35           |                   |               |
|                   |            | Harbour seal         | 18                   | 3                  | 1                 | 4.91           | 8.59           |                   |               |
|                   |            | Seaducks             | 23                   | 2                  | 0.25              | 1.05           | 1.83           |                   |               |
| Seaducks breeding | 23         | 2                    | 0.25                 | 1.05               | 1.83              |                |                |                   |               |
| 21                | 6251       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 37                | High          |
|                   |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 5.00           | 7.50           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 2.79           | 4.19           |                   |               |
|                   |            | Harbour seal         | 18                   | 5                  | 1                 | 11.43          | 20.00          |                   |               |
|                   |            | Seaducks             | 23                   | 1                  | 0.25              | 0.73           | 1.28           |                   |               |

| Area     | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 22       | 6251       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 30                | Moderate      |
|          |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 5.00           | 7.50           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.00           | 3.00           |                   |               |
|          |            | Gulls                | 17                   | 2                  | 0.25              | 0.77           | 1.35           |                   |               |
|          |            | Harbour seal         | 18                   | 3                  | 1                 | 4.91           | 8.59           |                   |               |
| Seaducks | 23         | 2                    | 0.75                 | 3.14               | 5.49              |                |                |                   |               |
| 23       | 6252       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 14                | Low           |
|          |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 5.00           | 7.50           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.92           | 4.38           |                   |               |
| 24       | 6252       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 33                | Moderate      |
|          |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 5.00           | 7.50           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 3.13           | 4.70           |                   |               |
|          |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.99           | 3.49           |                   |               |
|          |            | Seaducks             | 23                   | 5                  | 0.25              | 4.09           | 7.16           |                   |               |
| 25       | 6251       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 18                | Low           |
|          |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 5.00           | 7.50           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.23           | 3.35           |                   |               |
|          |            | Seaducks             | 23                   | 5                  | 0.25              | 2.92           | 5.11           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 26   | 6251       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 20                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 5.00           | 7.50           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.69           | 4.04           |                   |               |
| 27   | 6251       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 28                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 1.58           | 2.37           |                   |               |
|      |            | Alcids               | 25                   | 3                  | 0.5               | 2.70           | 4.72           |                   |               |
|      |            | Cormorants           | 19                   | 1                  | 0.5               | 0.68           | 1.20           |                   |               |
|      |            | Gulls                | 17                   | 1                  | 0.25              | 0.31           | 0.53           |                   |               |
|      |            | Seaducks             | 23                   | 1                  | 1                 | 1.65           | 2.89           |                   |               |
|      |            | Seaducks             | 23                   | 3                  | 1                 | 4.96           | 8.68           |                   |               |
| 28   | 6252       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 15                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.28           | 4.92           |                   |               |
| 29   | 6252       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 20                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.80           | 5.69           |                   |               |
|      |            | Arctic Char          | 14                   | 4                  | 0.5               | 4.83           | 8.46           |                   |               |

| Area                 | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 30                   | 6251       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 9                 | Low           |
|                      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 1.31           | 1.96           |                   |               |
|                      |            | Arctic Char          | 14                   | 1                  | 0.5               | 0.42           | 0.73           |                   |               |
|                      |            | Lumpsucker           | 15                   | 2                  | 0.25              | 0.44           | 0.78           |                   |               |
|                      |            | Seaducks             | 23                   | 1                  | 0.75              | 1.02           | 1.79           |                   |               |
| 31                   | 6251       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 17                | Low           |
|                      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 1.71           | 2.56           |                   |               |
|                      |            | Lumpsucker           | 15                   | 3                  | 0.25              | 0.87           | 1.53           |                   |               |
|                      |            | Seaducks             | 23                   | 2                  | 0.75              | 2.68           | 4.69           |                   |               |
|                      |            | 32                   | 6251                 | Human Use          |                   |                |                |                   |               |
| Archaeological Sites |            |                      |                      |                    |                   | 0.00           | 0.00           |                   |               |
| Special Status Areas |            |                      |                      |                    |                   | 0.00           | 0.00           |                   |               |
| Communities          |            |                      |                      |                    |                   | 0.00           | 0.00           |                   |               |
| Oil Residency Index  |            |                      |                      |                    |                   | 3.45           | 5.18           |                   |               |
| Arctic Char          | 14         |                      |                      | 3                  | 0.5               | 3.30           | 5.77           |                   |               |
| Scallop              | 18         |                      |                      | 1                  | 1                 | 2.83           | 4.95           |                   |               |
| 33                   | 6251       |                      |                      | Human Use          |                   |                |                | 2.00              | 4.00          |
|                      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 2.64           | 3.95           |                   |               |
|                      |            | Arctic Char          | 14                   | 3                  | 0.5               | 2.52           | 4.40           |                   |               |
|                      |            | Lumpsucker           | 15                   | 2                  | 0.25              | 0.90           | 1.57           |                   |               |
|                      |            | Seaducks             | 23                   | 1                  | 0.5               | 1.38           | 2.41           |                   |               |

| Area              | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|-------------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 34                | 6251       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 39                | High          |
|                   |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 2.27           | 3.41           |                   |               |
|                   |            | Cormorants           | 19                   | 1                  | 0.5               | 0.98           | 1.72           |                   |               |
|                   |            | Gulls                | 17                   | 2                  | 0.25              | 0.88           | 1.54           |                   |               |
|                   |            | Lumpsucker           | 15                   | 3                  | 0.25              | 1.16           | 2.04           |                   |               |
|                   |            | Scallop              | 18                   | 1                  | 1                 | 1.86           | 3.26           |                   |               |
|                   |            | Seaducks             | 23                   | 3                  | 1                 | 7.13           | 12.48          |                   |               |
| Seaducks breeding | 23         | 1                    | 1                    | 2.38               | 4.16              |                |                |                   |               |
| 35                | 6302       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 30                | Moderate      |
|                   |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 3.29           | 4.93           |                   |               |
|                   |            | Capelin              | 21                   | 4                  | 0.5               | 6.27           | 10.98          |                   |               |
|                   |            | Lumpsucker           | 15                   | 4                  | 0.25              | 2.24           | 3.92           |                   |               |
|                   |            |                      |                      |                    |                   |                |                |                   |               |
| 36                | 6301       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 49                | Extreme       |
|                   |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Communities          |                      |                    |                   | 10.00          | 20.00          |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 2.11           | 3.16           |                   |               |
|                   |            | Cormorants           | 19                   | 1                  | 0.5               | 0.91           | 1.59           |                   |               |
|                   |            | Lumpsucker           | 15                   | 4                  | 0.25              | 1.44           | 2.51           |                   |               |
|                   |            | Seaducks             | 23                   | 2                  | 1                 | 4.40           | 7.71           |                   |               |

| Area                 | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 37                   | 6302       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 24                | Moderate      |
|                      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 2.94           | 4.42           |                   |               |
|                      |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.87           | 3.28           |                   |               |
|                      |            | Scallop              | 18                   | 1                  | 1                 | 2.41           | 4.22           |                   |               |
| 38                   | 6301       | Human Use            |                      |                    |                   | 0.00           | 0.00           | 12                | Low           |
|                      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 2.53           | 3.80           |                   |               |
|                      |            | Arctic Char          | 14                   | 1                  | 0.5               | 0.81           | 1.41           |                   |               |
|                      |            | Lumpsucker           | 15                   | 2                  | 0.25              | 0.86           | 1.51           |                   |               |
| Seaducks             | 23         | 3                    | 0.25                 | 1.98               | 3.47              |                |                |                   |               |
| 39                   | 6301       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 28                | Moderate      |
|                      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 1.95           | 2.93           |                   |               |
|                      |            | Alcids               | 25                   | 3                  | 0.5               | 3.32           | 5.82           |                   |               |
|                      |            | Gulls                | 17                   | 1                  | 0.5               | 0.75           | 1.32           |                   |               |
|                      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.33           | 0.58           |                   |               |
|                      |            | Seaducks             | 23                   | 3                  | 0.75              | 4.59           | 8.03           |                   |               |
| Tube-noses Shoreline | 18         | 1                    | 0.5                  | 0.80               | 1.40              |                |                |                   |               |
| 40                   | 6301       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 6                 | Low           |
|                      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 1.07           | 1.61           |                   |               |
|                      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.18           | 0.32           |                   |               |
|                      |            | Seaducks             | 23                   | 1                  | 0.25              | 0.28           | 0.49           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 41   | 6302       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 32                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.13           | 4.69           |                   |               |
|      |            | Arctic Char          | 14                   | 3                  | 0.5               | 2.99           | 5.22           |                   |               |
|      |            | Capelin              | 21                   | 4                  | 0.5               | 5.97           | 10.45          |                   |               |
| 42   | 6302       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 34                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            | Arctic Char          | 14                   | 3                  | 0.5               | 3.82           | 6.68           |                   |               |
|      |            | Capelin              | 21                   | 4                  | 0.5               | 7.64           | 13.36          |                   |               |
| 43   | 6302       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 24                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.38           | 5.07           |                   |               |
|      |            | Arctic Char          | 14                   | 3                  | 0.5               | 3.23           | 5.65           |                   |               |
|      |            | Scallop              | 18                   | 1                  | 1                 | 2.76           | 4.84           |                   |               |
| 44   | 6301       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 13                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.36           | 3.54           |                   |               |
|      |            | Arctic Char          | 14                   | 1                  | 0.5               | 0.75           | 1.31           |                   |               |

| Area                 | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 45                   | 6301       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 12                | Low           |
|                      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 2.38           | 3.58           |                   |               |
|                      |            | Arctic Char          | 14                   | 3                  | 0.5               | 2.28           | 3.98           |                   |               |
|                      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.41           | 0.71           |                   |               |
| 46                   | 6301       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 62                | Extreme       |
|                      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 3.00           | 4.50           |                   |               |
|                      |            | Arctic Char          | 14                   | 4                  | 0.5               | 3.82           | 6.68           |                   |               |
|                      |            | Lumpsucker           | 15                   | 4                  | 0.25              | 2.04           | 3.58           |                   |               |
|                      |            | Scallop              | 18                   | 4                  | 1                 | 9.81           | 17.17          |                   |               |
|                      |            | Seaducks             | 23                   | 2                  | 0.5               | 3.13           | 5.49           |                   |               |
| Snow crab            | 9          | 4                    | 1                    | 4.91               | 8.59              |                |                |                   |               |
| 47                   | 6301       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 37                | High          |
|                      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 2.07           | 3.10           |                   |               |
|                      |            | Alcids               | 25                   | 1                  | 0.5               | 1.18           | 2.06           |                   |               |
|                      |            | Gulls                | 17                   | 1                  | 0.5               | 0.80           | 1.40           |                   |               |
|                      |            | Lumpsucker           | 15                   | 3                  | 0.25              | 1.06           | 1.85           |                   |               |
|                      |            | Scallop              | 18                   | 3                  | 1                 | 5.08           | 8.89           |                   |               |
|                      |            | Seaducks             | 23                   | 2                  | 0.25              | 1.08           | 1.89           |                   |               |
|                      |            | Snow crab            | 9                    | 3                  | 1                 | 2.54           | 4.44           |                   |               |
| Tube-noses Shoreline | 18         | 1                    | 0.5                  | 0.85               | 1.48              |                |                |                   |               |

| Area       | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 48         | 6301       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 28                | Moderate      |
|            |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 3.40           | 5.10           |                   |               |
|            |            | Arctic Char          | 14                   | 5                  | 0.5               | 5.40           | 9.46           |                   |               |
|            |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.58           | 1.01           |                   |               |
| 49         | 6302       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 21                | Low           |
|            |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|            |            | Arctic Char          | 14                   | 4                  | 0.5               | 5.09           | 8.91           |                   |               |
| 50         | 6301       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 24                | Moderate      |
|            |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 3.14           | 4.70           |                   |               |
|            |            | Arctic Char          | 14                   | 3                  | 0.5               | 2.99           | 5.24           |                   |               |
|            |            | Capelin              | 21                   | 2                  | 0.5               | 2.99           | 5.24           |                   |               |
| Lumpsucker | 15         | 1                    | 0.25                 | 0.53               | 0.94              |                |                |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 51   | 6301       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 55                | Extreme       |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 1.88           | 2.82           |                   |               |
|      |            | Alcids               | 25                   | 2                  | 0.5               | 2.13           | 3.73           |                   |               |
|      |            | Arctic char          | 14                   | 4                  | 0.75              | 3.59           | 6.27           |                   |               |
|      |            | Cormorants           | 19                   | 1                  | 0.5               | 0.81           | 1.42           |                   |               |
|      |            | Gulls                | 17                   | 1                  | 0.5               | 0.73           | 1.27           |                   |               |
|      |            | Lumpsucker           | 15                   | 4                  | 0.25              | 1.28           | 2.24           |                   |               |
|      |            | Scallop              | 18                   | 4                  | 1                 | 6.15           | 10.76          |                   |               |
|      |            | Seaducks             | 23                   | 3                  | 0.75              | 4.42           | 7.73           |                   |               |
|      |            | Seaducks breeding    | 23                   | 1                  | 0.75              | 1.47           | 2.58           |                   |               |
|      |            | Snow crab            | 9                    | 4                  | 1                 | 3.07           | 5.38           |                   |               |
| 52   | 6301       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 14                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.88           | 4.32           |                   |               |
|      |            | Arctic char          | 14                   | 3                  | 0.5               | 2.75           | 4.81           |                   |               |
|      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.49           | 0.86           |                   |               |
|      |            |                      |                      |                    |                   |                |                |                   |               |
| 53   | 6301       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 6                 | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.39           | 3.59           |                   |               |
|      |            |                      |                      |                    |                   |                |                |                   |               |
| 54   | 6352       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 16                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.97           | 5.96           |                   |               |
|      |            | Harbour seal         | 18                   | 3                  | 0.25              | 2.44           | 4.27           |                   |               |
|      |            |                      |                      |                    |                   |                |                |                   |               |

| Area  | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|-------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 55    | 6352       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 14                | Low           |
|       |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|       |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.55           | 4.45           |                   |               |
| 56    | 6352       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 14                | Low           |
|       |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|       |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.55           | 4.45           |                   |               |
| 57    | 6352       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 24                | Moderate      |
|       |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Oil Residency Index  |                      |                    |                   | 3.43           | 5.15           |                   |               |
|       |            | Arctic Char          | 14                   | 3                  | 0.5               | 3.27           | 5.73           |                   |               |
| Gulls | 17         | 4                    | 0.5                  | 5.30               | 9.28              |                |                |                   |               |
| 58    | 6351       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 14                | Low           |
|       |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Oil Residency Index  |                      |                    |                   | 4.59           | 6.89           |                   |               |
|       |            | Snow crab            | 9                    | 1                  | 1                 | 1.88           | 3.29           |                   |               |

| Area      | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|-----------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 59        | 6301       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 27                | Moderate      |
|           |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 2.45           | 3.67           |                   |               |
|           |            | Alcids               | 25                   | 2                  | 0.5               | 2.78           | 4.87           |                   |               |
|           |            | Arctic Char          | 14                   | 1                  | 0.5               | 0.78           | 1.36           |                   |               |
|           |            | Gulls                | 17                   | 2                  | 0.5               | 1.89           | 3.31           |                   |               |
| Seaducks  | 23         | 3                    | 0.25                 | 1.92               | 3.36              |                |                |                   |               |
| 60        | 6351       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 53                | Extreme       |
|           |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 2.40           | 3.59           |                   |               |
|           |            | Alcids               | 25                   | 4                  | 0.5               | 5.45           | 9.53           |                   |               |
|           |            | Arctic Char          | 14                   | 1                  | 0.5               | 0.76           | 1.33           |                   |               |
|           |            | Gulls                | 17                   | 3                  | 0.5               | 2.78           | 4.86           |                   |               |
|           |            | Lumpsucker           | 15                   | 4                  | 0.25              | 1.63           | 2.86           |                   |               |
|           |            | Seaducks             | 23                   | 3                  | 1                 | 7.52           | 13.15          |                   |               |
|           |            | Seaducks breeding    | 23                   | 2                  | 1                 | 5.01           | 8.77           |                   |               |
| Snow crab | 9          | 1                    | 1                    | 0.98               | 1.72              |                |                |                   |               |
| 61        | 6351       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 25                | Moderate      |
|           |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 3.84           | 5.76           |                   |               |
|           |            | Arctic Char          | 14                   | 4                  | 0.5               | 4.89           | 8.55           |                   |               |
|           |            | Snow crab            | 9                    | 1                  | 1                 | 1.57           | 2.75           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 62   | 6351       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 5                 | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 1.99           | 2.98           |                   |               |
| 63   | 6351       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 15                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.01           | 3.01           |                   |               |
|      |            | Arctic char          | 14                   | 2                  | 0.5               | 1.28           | 2.24           |                   |               |
|      |            | Lumpsucker           | 15                   | 3                  | 0.25              | 1.03           | 1.80           |                   |               |
|      |            | Seaducks             | 23                   | 2                  | 0.25              | 1.05           | 1.84           |                   |               |
| 64   | 6351       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 50                | Extreme       |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 10.00          | 20.00          |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 1.77           | 2.65           |                   |               |
|      |            | Gulls                | 17                   | 1                  | 0.25              | 0.34           | 0.60           |                   |               |
|      |            | Lumpsucker           | 15                   | 3                  | 0.25              | 0.90           | 1.58           |                   |               |
|      |            | Scallop              | 18                   | 1                  | 1                 | 1.45           | 2.53           |                   |               |
|      |            | Seaducks             | 23                   | 3                  | 0.75              | 4.16           | 7.27           |                   |               |
|      |            | Snow crab            | 9                    | 3                  | 1                 | 2.17           | 3.80           |                   |               |
| 65   | 6352       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 31                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.25           | 4.87           |                   |               |
|      |            | Arctic Char          | 14                   | 4                  | 0.5               | 4.13           | 7.23           |                   |               |
|      |            | Snow crab            | 9                    | 3                  | 1                 | 3.98           | 6.97           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 66   | 6352       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 28                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.58           | 5.36           |                   |               |
|      |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.28           | 3.98           |                   |               |
|      |            | Lumpsucker           | 15                   | 3                  | 0.25              | 1.83           | 3.20           |                   |               |
|      |            | Snow crab            | 9                    | 3                  | 1                 | 4.39           | 7.68           |                   |               |
| 67   | 6351       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 35                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 1.80           | 2.70           |                   |               |
|      |            | Alcids               | 25                   | 3                  | 0.5               | 3.07           | 5.36           |                   |               |
|      |            | Arctic Char          | 14                   | 3                  | 0.5               | 1.72           | 3.00           |                   |               |
|      |            | Capelin              | 21                   | 2                  | 0.5               | 1.72           | 3.00           |                   |               |
|      |            | Gulls                | 17                   | 1                  | 0.5               | 0.69           | 1.22           |                   |               |
|      |            | Seaducks             | 23                   | 2                  | 0.25              | 0.94           | 1.65           |                   |               |
|      |            | Snow crab            | 9                    | 3                  | 1                 | 2.21           | 3.86           |                   |               |
| 68   | 6351       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 49                | Extreme       |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.00           | 3.00           |                   |               |
|      |            | Alcids               | 25                   | 5                  | 0.5               | 5.68           | 9.94           |                   |               |
|      |            | Cormorants           | 19                   | 2                  | 0.5               | 1.73           | 3.02           |                   |               |
|      |            | Gulls                | 17                   | 3                  | 0.5               | 2.32           | 4.06           |                   |               |
|      |            | Seaducks             | 23                   | 4                  | 1                 | 8.36           | 14.64          |                   |               |
|      |            | Seaducks breeding    | 23                   | 1                  | 1                 | 2.09           | 3.66           |                   |               |
|      |            | Snow crab            | 9                    | 3                  | 1                 | 2.45           | 4.30           |                   |               |

| Area                 | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 69                   | 6351       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 66                | Extreme       |
|                      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 2.16           | 3.24           |                   |               |
|                      |            | Alcids               | 25                   | 5                  | 0.5               | 6.13           | 10.72          |                   |               |
|                      |            | Capelin              | 21                   | 2                  | 0.5               | 2.06           | 3.60           |                   |               |
|                      |            | Gulls                | 17                   | 1                  | 0.5               | 0.83           | 1.46           |                   |               |
|                      |            | Scallop              | 18                   | 4                  | 1                 | 7.06           | 12.35          |                   |               |
|                      |            | Seaducks             | 23                   | 3                  | 1                 | 6.76           | 11.84          |                   |               |
|                      |            | Seaducks breeding    | 23                   | 1                  | 1                 | 2.25           | 3.95           |                   |               |
|                      |            | Snow crab            | 9                    | 3                  | 1                 | 2.65           | 4.63           |                   |               |
| 70                   | 6351       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 19                | Low           |
|                      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 1.55           | 2.33           |                   |               |
|                      |            | Cormorants           | 19                   | 1                  | 0.25              | 0.34           | 0.59           |                   |               |
|                      |            | Scallop              | 18                   | 1                  | 1                 | 1.27           | 2.22           |                   |               |
|                      |            | Seaducks             | 23                   | 3                  | 0.25              | 1.22           | 2.13           |                   |               |
|                      |            | Snow crab            | 9                    | 3                  | 1                 | 1.91           | 3.34           |                   |               |
|                      |            | 71                   | 6351                 | Human Use          |                   |                |                |                   |               |
| Archaeological Sites |            |                      |                      |                    |                   | 1.00           | 2.00           |                   |               |
| Special Status Areas |            |                      |                      |                    |                   | 0.00           | 0.00           |                   |               |
| Communities          |            |                      |                      |                    |                   | 0.00           | 0.00           |                   |               |
| Oil Residency Index  |            |                      |                      |                    |                   | 1.70           | 2.55           |                   |               |
| Alcids               | 25         |                      |                      | 5                  | 0.5               | 4.84           | 8.47           |                   |               |
| Capelin              | 21         |                      |                      | 3                  | 0.5               | 2.44           | 4.27           |                   |               |
| Gulls                | 17         |                      |                      | 2                  | 0.5               | 1.32           | 2.30           |                   |               |
| Seaducks             | 23         |                      |                      | 5                  | 1                 | 8.90           | 15.58          |                   |               |
| Seaducks breeding    | 23         |                      |                      | 1                  | 1                 | 1.78           | 3.12           |                   |               |
| Snow crab            | 9          |                      |                      | 2                  | 1                 | 1.39           | 2.44           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 72   | 6402       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 46                | Extreme       |
|      |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 1.93           | 2.90           |                   |               |
|      |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.23           | 2.15           |                   |               |
|      |            | Capelin              | 21                   | 2                  | 0.5               | 1.85           | 3.23           |                   |               |
|      |            | Lumpsucker           | 15                   | 2                  | 0.25              | 0.66           | 1.15           |                   |               |
|      |            | Scallop              | 18                   | 4                  | 1                 | 6.33           | 11.08          |                   |               |
|      |            | Seaducks             | 23                   | 2                  | 0.25              | 1.01           | 1.77           |                   |               |
|      |            | Snow crab            | 9                    | 3                  | 1                 | 2.37           | 4.15           |                   |               |
| 73   | 6401       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 59                | Extreme       |
|      |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.07           | 3.10           |                   |               |
|      |            | Alcids               | 25                   | 1                  | 0.5               | 1.17           | 2.05           |                   |               |
|      |            | Capelin              | 21                   | 1                  | 0.5               | 0.99           | 1.73           |                   |               |
|      |            | Cormorants           | 19                   | 1                  | 0.5               | 0.89           | 1.56           |                   |               |
|      |            | Gulls                | 17                   | 1                  | 0.25              | 0.40           | 0.70           |                   |               |
|      |            | Scallop              | 18                   | 4                  | 1                 | 6.76           | 11.83          |                   |               |
|      |            | Seaducks             | 23                   | 4                  | 1                 | 8.64           | 15.12          |                   |               |
|      |            | Seaducks breeding    | 23                   | 1                  | 1                 | 2.16           | 3.78           |                   |               |
|      |            | Snow crab            | 9                    | 2                  | 1                 | 1.69           | 2.96           |                   |               |
| 74   | 6401       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 31                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 1.00           | 1.50           |                   |               |
|      |            | Alcids               | 25                   | 3                  | 0.5               | 1.71           | 2.99           |                   |               |
|      |            | Gulls                | 17                   | 1                  | 0.5               | 0.39           | 0.68           |                   |               |
|      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.17           | 0.30           |                   |               |
|      |            | Seaducks             | 23                   | 4                  | 0.5               | 2.09           | 3.66           |                   |               |
|      |            | Seaducks breeding    | 23                   | 2                  | 0.5               | 1.05           | 1.83           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 75   | 6402       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 41                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.84           | 4.26           |                   |               |
|      |            | Arctic Char          | 14                   | 3                  | 0.5               | 2.71           | 4.74           |                   |               |
|      |            | Capelin              | 21                   | 3                  | 0.5               | 4.06           | 7.11           |                   |               |
|      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.48           | 0.85           |                   |               |
|      |            | Seaducks             | 23                   | 3                  | 0.5               | 4.45           | 7.79           |                   |               |
| 76   | 6403       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 43                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.99           | 5.98           |                   |               |
|      |            | Alcids               | 25                   | 2                  | 0.5               | 4.53           | 7.93           |                   |               |
|      |            | Arctic Char          | 14                   | 3                  | 0.5               | 3.81           | 6.66           |                   |               |
|      |            | Capelin              | 21                   | 1                  | 0.5               | 1.90           | 3.33           |                   |               |
|      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.68           | 1.19           |                   |               |
| 77   | 6403       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 35                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            | Arctic Char          | 14                   | 4                  | 0.5               | 5.09           | 8.91           |                   |               |
|      |            | Harbour seal         | 18                   | 3                  | 0.25              | 2.45           | 4.30           |                   |               |
|      |            |                      |                      |                    |                   |                |                |                   |               |
| 78   | 6403       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 41                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.55           | 4.45           |                   |               |
|      |            | Capelin              | 21                   | 3                  | 0.5               | 5.73           | 10.02          |                   |               |
|      |            | Lumpsucker           | 15                   | 2                  | 0.25              | 1.36           | 2.39           |                   |               |

| Area     | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 79       | 6402       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 31                | Moderate      |
|          |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 3.29           | 4.94           |                   |               |
|          |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.09           | 3.67           |                   |               |
|          |            | Capelin              | 21                   | 2                  | 0.5               | 3.14           | 5.50           |                   |               |
|          |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.56           | 0.98           |                   |               |
| 80       | 6402       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 43                | High          |
|          |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.64           | 3.97           |                   |               |
|          |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.68           | 2.94           |                   |               |
|          |            | Capelin              | 21                   | 3                  | 0.5               | 3.79           | 6.62           |                   |               |
|          |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.45           | 0.79           |                   |               |
|          |            | Scallop              | 18                   | 2                  | 1                 | 4.33           | 7.57           |                   |               |
| Seaducks | 23         | 2                    | 0.5                  | 2.76               | 4.84              |                |                |                   |               |
| 81       | 6401       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 35                | High          |
|          |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.68           | 4.02           |                   |               |
|          |            | Capelin              | 21                   | 1                  | 0.5               | 1.28           | 2.24           |                   |               |
|          |            | Scallop              | 18                   | 3                  | 1                 | 6.57           | 11.50          |                   |               |
|          |            | Seaducks             | 23                   | 3                  | 0.5               | 4.20           | 7.35           |                   |               |

| Area     | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 82       | 6401       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 49                | Extreme       |
|          |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 10.00          | 20.00          |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.69           | 4.04           |                   |               |
|          |            | Capelin              | 21                   | 2                  | 0.5               | 2.57           | 4.50           |                   |               |
| 83       | 6402       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 61                | Extreme       |
|          |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 10.00          | 20.00          |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.73           | 4.09           |                   |               |
|          |            | Alcids               | 25                   | 1                  | 0.5               | 1.55           | 2.71           |                   |               |
|          |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.74           | 3.04           |                   |               |
|          |            | Capelin              | 21                   | 3                  | 0.5               | 3.90           | 6.83           |                   |               |
|          |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.46           | 0.81           |                   |               |
|          |            | Seaducks             | 23                   | 3                  | 0.5               | 4.28           | 7.48           |                   |               |
| 84       | 6402       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 29                | Moderate      |
|          |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 3.51           | 5.27           |                   |               |
|          |            | Arctic Char          | 14                   | 1                  | 0.5               | 1.12           | 1.95           |                   |               |
|          |            | Seaducks             | 23                   | 3                  | 0.5               | 5.50           | 9.63           |                   |               |
| 85       | 6403       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 80                | Extreme       |
|          |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 10.00          | 20.00          |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|          |            | Arctic Char          | 14                   | 5                  | 0.5               | 6.36           | 11.14          |                   |               |
|          |            | Capelin              | 21                   | 5                  | 0.5               | 9.55           | 16.70          |                   |               |
|          |            | Lumpsucker           | 15                   | 2                  | 0.25              | 1.36           | 2.39           |                   |               |
| Seaducks | 23         | 1                    | 0.5                  | 2.09               | 3.66              |                |                |                   |               |

| Area       | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 86         | 6403       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 66                | Extreme       |
|            |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 10.00          | 20.00          |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|            |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.55           | 4.45           |                   |               |
|            |            | Capelin              | 21                   | 4                  | 0.5               | 7.64           | 13.36          |                   |               |
| Lumpsucker | 15         | 2                    | 0.25                 | 1.36               | 2.39              |                |                |                   |               |
| 87         | 6453       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 28                | Moderate      |
|            |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 3.83           | 5.74           |                   |               |
|            |            | Arctic Char          | 14                   | 1                  | 0.5               | 1.22           | 2.13           |                   |               |
| 88         | 6402       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 8                 | Low           |
|            |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 3.00           | 4.50           |                   |               |
| 89         | 6402       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 29                | Moderate      |
|            |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 2.69           | 4.04           |                   |               |
|            |            | Scallop              | 18                   | 2                  | 1                 | 4.40           | 7.70           |                   |               |
|            |            | Seaducks             | 23                   | 3                  | 0.5               | 4.22           | 7.38           |                   |               |

| Area     | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 90       | 6452       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 34                | High          |
|          |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 3.58           | 5.37           |                   |               |
|          |            | Seaducks             | 23                   | 4                  | 0.5               | 7.49           | 13.10          |                   |               |
| 91       | 6402       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 23                | Moderate      |
|          |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.71           | 4.06           |                   |               |
|          |            | Capelin              | 21                   | 3                  | 0.5               | 3.88           | 6.79           |                   |               |
| 92       | 6402       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 10                | Low           |
|          |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.97           | 4.46           |                   |               |
| 93       | 6402       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 57                | Extreme       |
|          |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 10.00          | 20.00          |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.68           | 4.02           |                   |               |
|          |            | Capelin              | 21                   | 2                  | 0.5               | 2.56           | 4.47           |                   |               |
|          |            | Scallop              | 18                   | 3                  | 1                 | 6.57           | 11.50          |                   |               |
| Seaducks | 23         | 3                    | 0.5                  | 4.20               | 7.35              |                |                |                   |               |

| Area     | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 94       | 6402       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 18                | Low           |
|          |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.22           | 3.33           |                   |               |
|          |            | Alcids               | 25                   | 1                  | 0.5               | 1.26           | 2.21           |                   |               |
|          |            | Gulls                | 17                   | 4                  | 0.5               | 3.43           | 6.00           |                   |               |
| 95       | 6401       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 43                | High          |
|          |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 3.00           | 4.50           |                   |               |
|          |            | Scallop              | 18                   | 3                  | 1                 | 7.37           | 12.89          |                   |               |
|          |            | Seaducks             | 23                   | 5                  | 0.5               | 7.84           | 13.73          |                   |               |
| 96       | 6453       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 57                | Extreme       |
|          |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|          |            | Cormorants           | 19                   | 2                  | 0.5               | 3.45           | 6.05           |                   |               |
|          |            | Gulls                | 17                   | 4                  | 0.5               | 6.18           | 10.82          |                   |               |
| Seaducks | 23         | 5                    | 0.5                  | 10.45              | 18.29             |                |                |                   |               |
| 97       | 6453       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 18                | Low           |
|          |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |

| Area       | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 98         | 6404       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 10                | Low           |
|            |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
| 99         | 6453       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 18                | Low           |
|            |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
| 100        | 6453       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 33                | High          |
|            |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|            |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.55           | 4.45           |                   |               |
| Capelin    | 21         | 2                    | 0.5                  | 3.82               | 6.68              |                |                |                   |               |
| 101        | 6453       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 28                | Moderate      |
|            |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|            |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.55           | 4.45           |                   |               |
| Lumpsucker | 15         | 1                    | 0.25                 | 0.68               | 1.19              |                |                |                   |               |
| 102        | 6453       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 8                 | Low           |
|            |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 103  | 6452       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 39                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            | Alcids               | 25                   | 1                  | 0.5               | 2.27           | 3.98           |                   |               |
|      |            | Cormorants           | 19                   | 2                  | 0.5               | 3.45           | 6.05           |                   |               |
|      |            | Gulls                | 17                   | 2                  | 0.5               | 3.09           | 5.41           |                   |               |
|      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.68           | 1.19           |                   |               |
| 104  | 6453       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 12                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            |                      |                      |                    |                   |                |                |                   |               |
| 105  | 6452       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 28                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.10           | 4.65           |                   |               |
|      |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.97           | 3.46           |                   |               |
|      |            | Capelin              | 21                   | 3                  | 0.5               | 4.44           | 7.77           |                   |               |
| 106  | 6452       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 54                | Extreme       |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.86           | 5.79           |                   |               |
|      |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.46           | 4.30           |                   |               |
|      |            | Capelin              | 21                   | 5                  | 0.5               | 9.22           | 16.13          |                   |               |
|      |            | Lumpsucker           | 15                   | 5                  | 0.25              | 3.29           | 5.76           |                   |               |
|      |            | Scallop              | 18                   | 1                  | 1                 | 3.16           | 5.53           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 107  | 6452       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 17                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.00           | 4.50           |                   |               |
|      |            | Lumpsucker           | 15                   | 5                  | 0.25              | 2.56           | 4.48           |                   |               |
| 108  | 6452       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 26                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.95           | 4.43           |                   |               |
|      |            | Arctic Char          | 14                   | 3                  | 0.5               | 2.82           | 4.94           |                   |               |
|      |            | Capelin              | 21                   | 1                  | 0.5               | 1.41           | 2.47           |                   |               |
| 109  | 6401       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 21                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.58           | 3.87           |                   |               |
|      |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.64           | 2.87           |                   |               |
| 110  | 6401       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 48                | Extreme       |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.39           | 3.59           |                   |               |
|      |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.52           | 2.66           |                   |               |
|      |            | Capelin              | 21                   | 4                  | 0.5               | 4.57           | 7.99           |                   |               |
|      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.41           | 0.71           |                   |               |
|      |            | Scallop              | 18                   | 3                  | 1                 | 5.87           | 10.27          |                   |               |
|      |            | Seaducks             | 23                   | 3                  | 0.5               | 3.75           | 6.56           |                   |               |

| Area              | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|-------------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 111               | 6401       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 39                | High          |
|                   |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 4.40           | 6.59           |                   |               |
|                   |            | Arctic Char          | 14                   | 4                  | 0.5               | 5.59           | 9.79           |                   |               |
|                   |            | Lumpsucker           | 15                   | 2                  | 0.25              | 1.50           | 2.62           |                   |               |
| 112               | 6401       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 60                | Extreme       |
|                   |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 2.62           | 3.93           |                   |               |
|                   |            | Alcids               | 25                   | 2                  | 0.5               | 2.98           | 5.21           |                   |               |
|                   |            | Arctic Char          | 14                   | 1                  | 0.5               | 0.83           | 1.46           |                   |               |
|                   |            | Capelin              | 21                   | 4                  | 0.5               | 5.00           | 8.75           |                   |               |
|                   |            | Gulls                | 17                   | 1                  | 0.25              | 0.51           | 0.89           |                   |               |
|                   |            | Lumpsucker           | 15                   | 4                  | 0.25              | 1.79           | 3.12           |                   |               |
|                   |            | Seaducks             | 23                   | 3                  | 1                 | 8.21           | 14.37          |                   |               |
|                   |            | Seaducks breeding    | 23                   | 1                  | 1                 | 2.74           | 4.79           |                   |               |
| 113               | 6401       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 59                | Extreme       |
|                   |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 2.18           | 3.27           |                   |               |
|                   |            | Alcids               | 25                   | 5                  | 0.5               | 6.20           | 10.85          |                   |               |
|                   |            | Arctic Char          | 14                   | 3                  | 0.5               | 2.08           | 3.65           |                   |               |
|                   |            | Capelin              | 21                   | 2                  | 0.5               | 2.08           | 3.65           |                   |               |
|                   |            | Gulls                | 17                   | 1                  | 0.5               | 0.84           | 1.48           |                   |               |
|                   |            | Lumpsucker           | 15                   | 3                  | 0.25              | 1.12           | 1.95           |                   |               |
|                   |            | Seaducks             | 23                   | 3                  | 1                 | 6.84           | 11.98          |                   |               |
| Seaducks breeding | 23         | 3                    | 1                    | 6.84               | 11.98             |                |                |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 114  | 6401       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 42                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.98           | 5.97           |                   |               |
|      |            | Arctic Char          | 14                   | 3                  | 0.5               | 3.80           | 6.65           |                   |               |
|      |            | Seaducks             | 23                   | 3                  | 1                 | 12.49          | 21.85          |                   |               |
| 115  | 6401       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 35                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.63           | 3.94           |                   |               |
|      |            | Arctic Char          | 14                   | 3                  | 0.5               | 2.51           | 4.39           |                   |               |
|      |            | Harbour seal         | 18                   | 5                  | 1                 | 10.75          | 18.81          |                   |               |
| 116  | 6401       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 32                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.24           | 3.35           |                   |               |
|      |            | Capelin              | 21                   | 2                  | 0.5               | 2.13           | 3.74           |                   |               |
|      |            | Gulls                | 17                   | 1                  | 0.25              | 0.43           | 0.76           |                   |               |
|      |            | Harbour seal         | 18                   | 5                  | 1                 | 9.15           | 16.01          |                   |               |
| 117  | 6401       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 47                | Extreme       |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            | Arctic Char          | 14                   | 3                  | 0.5               | 3.82           | 6.68           |                   |               |
|      |            | Harbour seal         | 18                   | 5                  | 1                 | 16.36          | 28.64          |                   |               |

| Area       | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 118        | 6401       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 16                | Low           |
|            |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 3.96           | 5.94           |                   |               |
|            |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.52           | 4.41           |                   |               |
| 119        | 6401       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 36                | High          |
|            |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 2.22           | 3.33           |                   |               |
|            |            | Alcids               | 25                   | 1                  | 0.5               | 1.26           | 2.21           |                   |               |
|            |            | Capelin              | 21                   | 2                  | 0.5               | 2.12           | 3.70           |                   |               |
|            |            | Gulls                | 17                   | 1                  | 0.5               | 0.86           | 1.50           |                   |               |
|            |            | Lumpsucker           | 15                   | 2                  | 0.25              | 0.76           | 1.32           |                   |               |
|            |            | Seaducks             | 23                   | 3                  | 1                 | 6.96           | 12.17          |                   |               |
|            |            | Seaducks breeding    | 23                   | 1                  | 1                 | 2.32           | 4.06           |                   |               |
| 120        | 6401       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 16                | Low           |
|            |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 3.79           | 5.68           |                   |               |
|            |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.41           | 4.22           |                   |               |
| 121        | 6451       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 23                | Moderate      |
|            |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 3.54           | 5.31           |                   |               |
|            |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.25           | 3.94           |                   |               |
| Lumpsucker | 15         | 4                    | 0.25                 | 2.41               | 4.22              |                |                |                   |               |

| Area                 | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 122                  | 6451       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 30                | Moderate      |
|                      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 2.12           | 3.18           |                   |               |
|                      |            | Capelin              | 21                   | 2                  | 0.5               | 2.03           | 3.55           |                   |               |
|                      |            | Cormorants           | 19                   | 1                  | 0.5               | 0.92           | 1.60           |                   |               |
|                      |            | Lumpsucker           | 15                   | 3                  | 0.25              | 1.09           | 1.90           |                   |               |
|                      |            | Seaducks             | 23                   | 3                  | 1                 | 6.66           | 11.65          |                   |               |
| 123                  | 6451       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 25                | Moderate      |
|                      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 2.45           | 3.67           |                   |               |
|                      |            | Arctic Char          | 14                   | 5                  | 0.5               | 3.90           | 6.82           |                   |               |
|                      |            | Harbour seal         | 18                   | 3                  | 0.25              | 1.50           | 2.63           |                   |               |
|                      |            | Lumpsucker           | 15                   | 3                  | 0.25              | 1.25           | 2.19           |                   |               |
|                      |            | 124                  | 6451                 | Human Use          |                   |                |                |                   |               |
| Archaeological Sites |            |                      |                      |                    |                   | 5.00           | 10.00          |                   |               |
| Special Status Areas |            |                      |                      |                    |                   | 0.00           | 0.00           |                   |               |
| Communities          |            |                      |                      |                    |                   | 0.00           | 0.00           |                   |               |
| Oil Residency Index  |            |                      |                      |                    |                   | 2.26           | 3.38           |                   |               |
| Arctic Char          | 14         |                      |                      | 1                  | 0.5               | 0.72           | 1.26           |                   |               |
| Lumpsucker           | 15         |                      |                      | 3                  | 0.25              | 1.15           | 2.02           |                   |               |
| Seaducks             | 23         |                      |                      | 3                  | 1                 | 7.07           | 12.38          |                   |               |

| Area              | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|-------------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 125               | 6451       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 38                | High          |
|                   |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 2.97           | 4.45           |                   |               |
|                   |            | Alcids               | 25                   | 1                  | 0.5               | 1.69           | 2.95           |                   |               |
|                   |            | Arctic Char          | 14                   | 3                  | 0.5               | 2.83           | 4.96           |                   |               |
|                   |            | Capelin              | 21                   | 4                  | 0.5               | 5.67           | 9.92           |                   |               |
|                   |            | Gulls                | 17                   | 1                  | 0.5               | 1.15           | 2.01           |                   |               |
|                   |            | Lumpsucker           | 15                   | 3                  | 0.25              | 1.52           | 2.66           |                   |               |
| Seaducks breeding | 23         | 1                    | 0.5                  | 1.55               | 2.71              |                |                |                   |               |
| <hr/>             |            |                      |                      |                    |                   |                |                |                   |               |
| 126               | 6451       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 38                | High          |
|                   |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 3.82           | 5.73           |                   |               |
|                   |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.43           | 4.25           |                   |               |
|                   |            | Capelin              | 21                   | 5                  | 0.5               | 9.11           | 15.95          |                   |               |
|                   |            | Lumpsucker           | 15                   | 4                  | 0.25              | 2.60           | 4.56           |                   |               |
|                   |            |                      |                      |                    |                   |                |                |                   |               |
| <hr/>             |            |                      |                      |                    |                   |                |                |                   |               |
| 127               | 6452       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 42                | High          |
|                   |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|                   |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.55           | 4.45           |                   |               |
|                   |            | Capelin              | 21                   | 5                  | 0.5               | 9.55           | 16.71          |                   |               |
|                   |            | Lumpsucker           | 15                   | 4                  | 0.25              | 2.73           | 4.77           |                   |               |

| Area              | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|-------------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 128               | 6452       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 39                | High          |
|                   |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|                   |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.55           | 4.45           |                   |               |
|                   |            | Capelin              | 21                   | 5                  | 0.5               | 9.55           | 16.70          |                   |               |
|                   |            | Lumpsucker           | 15                   | 3                  | 0.25              | 2.05           | 3.58           |                   |               |
| 129               | 6452       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 39                | High          |
|                   |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|                   |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.55           | 4.45           |                   |               |
|                   |            | Capelin              | 21                   | 5                  | 0.5               | 9.54           | 16.70          |                   |               |
|                   |            | Lumpsucker           | 15                   | 3                  | 0.25              | 2.05           | 3.58           |                   |               |
| 130               | 6452       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 61                | Extreme       |
|                   |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|                   |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.55           | 4.45           |                   |               |
|                   |            | Capelin              | 21                   | 5                  | 0.5               | 9.55           | 16.71          |                   |               |
|                   |            | Gulls                | 17                   | 3                  | 0.5               | 4.64           | 8.11           |                   |               |
|                   |            | Lumpsucker           | 15                   | 3                  | 0.25              | 2.05           | 3.58           |                   |               |
| Seaducks breeding | 23         | 4                    | 0.5                  | 8.36               | 14.64             |                |                |                   |               |

| Area     | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 131      | 6451       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 40                | High          |
|          |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|          |            | Arctic Char          | 14                   | 4                  | 0.5               | 5.09           | 8.91           |                   |               |
|          |            | Capelin              | 21                   | 5                  | 0.5               | 9.55           | 16.70          |                   |               |
| 132      | 6451       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 34                | High          |
|          |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|          |            | Capelin              | 21                   | 5                  | 0.5               | 9.54           | 16.70          |                   |               |
|          |            | Lumpsucker           | 15                   | 3                  | 0.25              | 2.05           | 3.58           |                   |               |
| 133      | 6451       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 36                | High          |
|          |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.95           | 4.42           |                   |               |
|          |            | Capelin              | 21                   | 5                  | 0.5               | 7.03           | 12.31          |                   |               |
|          |            | Lumpsucker           | 15                   | 4                  | 0.25              | 2.01           | 3.52           |                   |               |
| Scallop  | 18         | 1                    | 1                    | 2.41               | 4.22              |                |                |                   |               |
| 134      | 6451       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 24                | Moderate      |
|          |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.00           | 3.00           |                   |               |
|          |            | Cormorants           | 19                   | 1                  | 0.5               | 0.86           | 1.51           |                   |               |
|          |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.34           | 0.60           |                   |               |
| Seaducks | 23         | 3                    | 1                    | 6.27               | 10.98             |                |                |                   |               |

| Area     | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 135      | 6451       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 34                | High          |
|          |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 3.10           | 4.65           |                   |               |
|          |            | Arctic Char          | 14                   | 1                  | 0.5               | 0.99           | 1.73           |                   |               |
|          |            | Capelin              | 21                   | 5                  | 0.5               | 7.40           | 12.95          |                   |               |
|          |            | Lumpsucker           | 15                   | 3                  | 0.25              | 1.59           | 2.78           |                   |               |
| 136      | 6451       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 51                | Extreme       |
|          |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 10.00          | 20.00          |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.46           | 3.69           |                   |               |
|          |            | Arctic char          | 14                   | 3                  | 0.5               | 2.35           | 4.10           |                   |               |
|          |            | Capelin              | 21                   | 4                  | 0.5               | 4.69           | 8.21           |                   |               |
|          |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.42           | 0.73           |                   |               |
| Seaducks | 23         | 1                    | 1                    | 2.57               | 4.50              |                |                |                   |               |
| 137      | 6451       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 7                 | Low           |
|          |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 1.00           | 1.50           |                   |               |
|          |            | Seaducks             | 23                   | 1                  | 1                 | 1.04           | 1.83           |                   |               |

| Area                 | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 138                  | 6451       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 39                | High          |
|                      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 2.29           | 3.44           |                   |               |
|                      |            | Alcids               | 25                   | 2                  | 0.5               | 2.60           | 4.55           |                   |               |
|                      |            | Arctic Char          | 14                   | 1                  | 0.5               | 0.73           | 1.28           |                   |               |
|                      |            | Capelin              | 21                   | 4                  | 0.5               | 4.37           | 7.65           |                   |               |
|                      |            | Cormorants           | 19                   | 1                  | 0.5               | 0.99           | 1.73           |                   |               |
|                      |            | Gulls                | 17                   | 1                  | 0.5               | 0.88           | 1.55           |                   |               |
|                      |            | Lumpsucker           | 15                   | 4                  | 0.25              | 1.56           | 2.73           |                   |               |
|                      |            | Seaducks             | 23                   | 1                  | 1                 | 2.39           | 4.19           |                   |               |
|                      |            | 139                  | 6451                 | Human Use          |                   |                |                |                   |               |
| Archaeological Sites |            |                      |                      |                    |                   | 1.00           | 2.00           |                   |               |
| Special Status Areas |            |                      |                      |                    |                   | 0.00           | 0.00           |                   |               |
| Communities          |            |                      |                      |                    |                   | 0.00           | 0.00           |                   |               |
| Oil Residency Index  |            |                      |                      |                    |                   | 1.91           | 2.86           |                   |               |
| Alcids               | 25         |                      |                      | 3                  | 0.5               | 3.25           | 5.68           |                   |               |
| Gulls                | 17         |                      |                      | 2                  | 0.5               | 1.47           | 2.58           |                   |               |
|                      |            |                      |                      |                    |                   |                |                |                   |               |
| 140                  | 6502       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 39                | High          |
|                      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 2.26           | 3.40           |                   |               |
|                      |            | Alcids               | 25                   | 1                  | 0.5               | 1.29           | 2.25           |                   |               |
|                      |            | Arctic Char          | 14                   | 4                  | 0.5               | 2.88           | 5.04           |                   |               |
|                      |            | Capelin              | 21                   | 4                  | 0.5               | 4.32           | 7.57           |                   |               |
|                      |            | Cormorants           | 19                   | 1                  | 0.5               | 0.98           | 1.71           |                   |               |
|                      |            | Lumpsucker           | 15                   | 5                  | 0.25              | 1.93           | 3.38           |                   |               |
|                      |            | Seaducks             | 23                   | 1                  | 0.5               | 1.18           | 2.07           |                   |               |
|                      |            | Snow crab            | 9                    | 1                  | 1                 | 0.93           | 1.62           |                   |               |

| Area                 | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 141                  | 6501       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 47                | Extreme       |
|                      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 10.00          | 20.00          |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 1.98           | 2.97           |                   |               |
|                      |            | Cormorants           | 19                   | 1                  | 0.5               | 0.86           | 1.50           |                   |               |
|                      |            | Gulls                | 17                   | 1                  | 0.25              | 0.38           | 0.67           |                   |               |
|                      |            | Lumpsucker           | 15                   | 4                  | 0.25              | 1.35           | 2.37           |                   |               |
|                      |            | Seaducks             | 23                   | 1                  | 1                 | 2.07           | 3.63           |                   |               |
|                      |            | Snow crab            | 9                    | 1                  | 1                 | 0.81           | 1.42           |                   |               |
| 142                  | 6501       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 26                | Moderate      |
|                      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 2.31           | 3.46           |                   |               |
|                      |            | Gulls                | 17                   | 2                  | 0.25              | 0.89           | 1.56           |                   |               |
|                      |            | Lumpsucker           | 15                   | 4                  | 0.25              | 1.57           | 2.75           |                   |               |
|                      |            | Seaducks             | 23                   | 1                  | 0.5               | 1.20           | 2.11           |                   |               |
|                      |            | Snow crab            | 9                    | 1                  | 1                 | 0.94           | 1.65           |                   |               |
|                      |            | 143                  | 6502                 | Human Use          |                   |                |                |                   |               |
| Archaeological Sites |            |                      |                      |                    |                   | 1.00           | 2.00           |                   |               |
| Special Status Areas |            |                      |                      |                    |                   | 0.00           | 0.00           |                   |               |
| Communities          |            |                      |                      |                    |                   | 0.00           | 0.00           |                   |               |
| Oil Residency Index  |            |                      |                      |                    |                   | 3.54           | 5.31           |                   |               |
| Arctic Char          | 14         |                      |                      | 3                  | 0.5               | 3.38           | 5.91           |                   |               |
| Capelin              | 21         |                      |                      | 4                  | 0.5               | 6.75           | 11.82          |                   |               |
| Lumpsucker           | 15         |                      |                      | 1                  | 0.25              | 0.60           | 1.06           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 144  | 6502       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 40                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.06           | 4.58           |                   |               |
|      |            | Arctic Char          | 14                   | 4                  | 0.5               | 3.89           | 6.81           |                   |               |
|      |            | Capelin              | 21                   | 4                  | 0.5               | 5.83           | 10.21          |                   |               |
|      |            | Harbour seal         | 18                   | 2                  | 1                 | 5.00           | 8.75           |                   |               |
| 145  | 6502       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 41                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.33           | 5.00           |                   |               |
|      |            | Arctic Char          | 14                   | 5                  | 0.5               | 5.30           | 9.27           |                   |               |
|      |            | Capelin              | 21                   | 4                  | 0.5               | 6.36           | 11.13          |                   |               |
|      |            |                      |                      |                    |                   |                |                |                   |               |
| 146  | 6502       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 28                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.19           | 4.79           |                   |               |
|      |            | Capelin              | 21                   | 4                  | 0.5               | 6.10           | 10.67          |                   |               |
|      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.54           | 0.95           |                   |               |
|      |            |                      |                      |                    |                   |                |                |                   |               |
| 147  | 6501       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 25                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.17           | 3.25           |                   |               |
|      |            | Arctic Char          | 14                   | 5                  | 0.5               | 3.45           | 6.04           |                   |               |
|      |            | Capelin              | 21                   | 4                  | 0.5               | 4.14           | 7.24           |                   |               |
|      |            | Lumpsucker           | 15                   | 4                  | 0.25              | 1.48           | 2.59           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 148  | 6501       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 22                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.53           | 3.79           |                   |               |
|      |            | Arctic Char          | 14                   | 1                  | 0.5               | 0.80           | 1.41           |                   |               |
|      |            | Capelin              | 21                   | 1                  | 0.5               | 1.21           | 2.11           |                   |               |
|      |            | Cormorants           | 19                   | 1                  | 0.5               | 1.09           | 1.91           |                   |               |
|      |            | Lumpsucker           | 15                   | 3                  | 0.25              | 1.29           | 2.26           |                   |               |
|      |            | Seaducks             | 23                   | 1                  | 0.5               | 1.32           | 2.31           |                   |               |
| 149  | 6501       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 20                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.02           | 3.03           |                   |               |
|      |            | Harbour seal         | 18                   | 5                  | 1                 | 8.28           | 14.48          |                   |               |
|      |            |                      |                      |                    |                   |                |                |                   |               |
| 150  | 6501       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 15                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 1.83           | 2.74           |                   |               |
|      |            | Lumpsucker           | 15                   | 2                  | 0.25              | 0.62           | 1.09           |                   |               |
|      |            | Seaducks             | 23                   | 1                  | 0.25              | 0.48           | 0.84           |                   |               |
| 151  | 6501       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 33                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.06           | 4.58           |                   |               |
|      |            | Arctic Char          | 14                   | 3                  | 0.5               | 2.92           | 5.11           |                   |               |
|      |            | Capelin              | 21                   | 3                  | 0.5               | 4.38           | 7.66           |                   |               |
|      |            | Lumpsucker           | 15                   | 4                  | 0.25              | 2.08           | 3.65           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 152  | 6502       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 61                | Extreme       |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.58           | 3.88           |                   |               |
|      |            | Alcids               | 25                   | 5                  | 0.5               | 7.34           | 12.85          |                   |               |
|      |            | Arctic Char          | 14                   | 3                  | 0.5               | 2.47           | 4.32           |                   |               |
|      |            | Capelin              | 21                   | 5                  | 0.5               | 6.17           | 10.79          |                   |               |
|      |            | Gulls                | 17                   | 5                  | 0.5               | 4.99           | 8.74           |                   |               |
|      |            | Seaducks             | 23                   | 2                  | 0.5               | 2.70           | 4.73           |                   |               |
| 153  | 6553       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 33                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.09           | 6.14           |                   |               |
|      |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.60           | 4.56           |                   |               |
|      |            | Capelin              | 21                   | 3                  | 0.5               | 5.86           | 10.26          |                   |               |
|      |            |                      |                      |                    |                   |                |                |                   |               |
| 154  | 6502       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 38                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.26           | 4.89           |                   |               |
|      |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.07           | 3.63           |                   |               |
|      |            | Capelin              | 21                   | 5                  | 0.5               | 7.78           | 13.61          |                   |               |
|      |            | Seaducks             | 23                   | 2                  | 0.5               | 3.41           | 5.96           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 155  | 6501       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 32                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.26           | 3.39           |                   |               |
|      |            | Arctic Char          | 14                   | 1                  | 0.5               | 0.72           | 1.26           |                   |               |
|      |            | Capelin              | 21                   | 4                  | 0.5               | 4.32           | 7.56           |                   |               |
|      |            | Lumpsucker           | 15                   | 3                  | 0.25              | 1.16           | 2.02           |                   |               |
|      |            | Seaducks             | 23                   | 2                  | 0.5               | 2.36           | 4.14           |                   |               |
| 156  | 6552       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 28                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.97           | 4.45           |                   |               |
|      |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.89           | 3.30           |                   |               |
|      |            | Capelin              | 21                   | 5                  | 0.5               | 7.08           | 12.39          |                   |               |
| 157  | 6501       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 29                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.10           | 3.15           |                   |               |
|      |            | Cormorants           | 19                   | 1                  | 0.5               | 0.91           | 1.59           |                   |               |
|      |            | Gulls                | 17                   | 2                  | 0.25              | 0.81           | 1.42           |                   |               |
|      |            | Lumpsucker           | 15                   | 3                  | 0.25              | 1.07           | 1.88           |                   |               |
|      |            | Seaducks             | 23                   | 1                  | 1                 | 2.20           | 3.85           |                   |               |
|      |            | Snow crab            | 9                    | 1                  | 1                 | 0.86           | 1.50           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 158  | 6501       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 33                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.89           | 5.83           |                   |               |
|      |            | Lumpsucker           | 15                   | 4                  | 0.25              | 2.65           | 4.64           |                   |               |
|      |            | Seaducks             | 23                   | 3                  | 0.5               | 6.10           | 10.67          |                   |               |
| 159  | 6552       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 21                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.98           | 4.47           |                   |               |
|      |            | Capelin              | 21                   | 2                  | 0.5               | 2.84           | 4.98           |                   |               |
|      |            | Gulls                | 17                   | 2                  | 0.5               | 2.30           | 4.03           |                   |               |
| 160  | 6552       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 30                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.23           | 4.85           |                   |               |
|      |            | Capelin              | 21                   | 5                  | 0.5               | 7.71           | 13.50          |                   |               |
| 161  | 6501       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 27                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            | Gulls                | 17                   | 1                  | 0.25              | 0.77           | 1.35           |                   |               |
|      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.68           | 1.19           |                   |               |
|      |            | Seaducks             | 23                   | 1                  | 0.5               | 2.09           | 3.66           |                   |               |
|      |            | Snow crab            | 9                    | 1                  | 1                 | 1.64           | 2.86           |                   |               |

| Area     | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 162      | 6501       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 60                | Extreme       |
|          |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 10.00          | 20.00          |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.70           | 4.05           |                   |               |
|          |            | Alcids               | 25                   | 2                  | 0.5               | 3.07           | 5.37           |                   |               |
|          |            | Gulls                | 17                   | 1                  | 0.25              | 0.52           | 0.91           |                   |               |
|          |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.46           | 0.81           |                   |               |
|          |            | Seaducks             | 23                   | 3                  | 0.5               | 4.24           | 7.42           |                   |               |
|          |            | Snow crab            | 9                    | 1                  | 1                 | 1.11           | 1.93           |                   |               |
| 163      | 6551       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 41                | High          |
|          |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.40           | 3.60           |                   |               |
|          |            | Alcids               | 25                   | 1                  | 0.5               | 1.36           | 2.39           |                   |               |
|          |            | Arctic Char          | 14                   | 4                  | 0.5               | 3.06           | 5.35           |                   |               |
|          |            | Cormorants           | 19                   | 1                  | 0.5               | 1.04           | 1.81           |                   |               |
|          |            | Gulls                | 17                   | 2                  | 0.5               | 1.86           | 3.25           |                   |               |
|          |            | Lumpsucker           | 15                   | 2                  | 0.25              | 0.82           | 1.43           |                   |               |
| Seaducks | 23         | 2                    | 1                    | 5.02               | 8.78              |                |                |                   |               |
| 164      | 6551       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 26                | Moderate      |
|          |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.96           | 4.44           |                   |               |
|          |            | Capelin              | 21                   | 4                  | 0.5               | 5.65           | 9.88           |                   |               |
|          |            | Seaducks             | 23                   | 2                  | 0.5               | 3.09           | 5.41           |                   |               |

| Area     | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 165      | 6552       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 53                | Extreme       |
|          |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.93           | 4.40           |                   |               |
|          |            | Alcids               | 25                   | 5                  | 0.5               | 8.33           | 14.59          |                   |               |
|          |            | Capelin              | 21                   | 5                  | 0.5               | 7.00           | 12.25          |                   |               |
| Gulls    | 17         | 5                    | 0.5                  | 5.67               | 9.92              |                |                |                   |               |
| 166      | 6552       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 29                | Moderate      |
|          |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 3.15           | 4.73           |                   |               |
|          |            | Arctic Char          | 14                   | 3                  | 0.5               | 3.01           | 5.27           |                   |               |
|          |            | Capelin              | 21                   | 4                  | 0.5               | 6.02           | 10.54          |                   |               |
| 167      | 6551       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 29                | Moderate      |
|          |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.65           | 3.98           |                   |               |
|          |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.69           | 2.96           |                   |               |
|          |            | Capelin              | 21                   | 1                  | 0.5               | 1.27           | 2.22           |                   |               |
|          |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.45           | 0.79           |                   |               |
| Seaducks | 23         | 2                    | 0.5                  | 2.78               | 4.86              |                |                |                   |               |
| 168      | 6551       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 38                | High          |
|          |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 3.29           | 4.94           |                   |               |
|          |            | Arctic Char          | 14                   | 5                  | 0.5               | 5.23           | 9.16           |                   |               |
|          |            | Capelin              | 21                   | 5                  | 0.5               | 7.85           | 13.74          |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 169  | 6551       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 30                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.34           | 3.51           |                   |               |
|      |            | Alcids               | 25                   | 3                  | 0.5               | 3.99           | 6.99           |                   |               |
|      |            | Gulls                | 17                   | 1                  | 0.5               | 0.91           | 1.58           |                   |               |
|      |            | Lumpsucker           | 15                   | 3                  | 0.25              | 1.20           | 2.10           |                   |               |
|      |            | Seaducks             | 23                   | 3                  | 0.5               | 3.67           | 6.43           |                   |               |
|      |            | Seaducks breeding    | 23                   | 1                  | 0.5               | 1.22           | 2.14           |                   |               |
|      |            | Snow crab            | 9                    | 1                  | 1                 | 0.96           | 1.68           |                   |               |
| 170  | 6551       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 27                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.07           | 4.60           |                   |               |
|      |            | Capelin              | 21                   | 3                  | 0.5               | 4.39           | 7.69           |                   |               |
|      |            | Lumpsucker           | 15                   | 3                  | 0.25              | 1.57           | 2.74           |                   |               |
|      |            |                      |                      |                    |                   |                |                |                   |               |
| 171  | 6551       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 24                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.45           | 3.68           |                   |               |
|      |            | Lumpsucker           | 15                   | 3                  | 0.25              | 1.25           | 2.19           |                   |               |
|      |            | Seaducks             | 23                   | 1                  | 0.5               | 1.28           | 2.24           |                   |               |
|      |            |                      |                      |                    |                   |                |                |                   |               |

| Area      | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|-----------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 172       | 6552       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 42                | High          |
|           |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 3.04           | 4.56           |                   |               |
|           |            | Alcids               | 25                   | 1                  | 0.5               | 1.73           | 3.02           |                   |               |
|           |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.93           | 3.38           |                   |               |
|           |            | Capelin              | 21                   | 5                  | 0.5               | 7.25           | 12.69          |                   |               |
|           |            | Gulls                | 17                   | 1                  | 0.5               | 1.17           | 2.05           |                   |               |
|           |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.52           | 0.91           |                   |               |
|           |            | Seaducks             | 23                   | 1                  | 0.5               | 1.59           | 2.78           |                   |               |
| Snow crab | 9          | 1                    | 1                    | 1.24               | 2.18              |                |                |                   |               |
| 173       | 6552       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 39                | High          |
|           |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 3.83           | 5.74           |                   |               |
|           |            | Alcids               | 25                   | 1                  | 0.5               | 2.17           | 3.80           |                   |               |
|           |            | Capelin              | 21                   | 4                  | 0.5               | 7.30           | 12.78          |                   |               |
|           |            | Cormorants           | 19                   | 2                  | 0.5               | 3.30           | 5.78           |                   |               |
|           |            | Gulls                | 17                   | 2                  | 0.5               | 2.96           | 5.17           |                   |               |
|           |            |                      |                      |                    |                   |                |                |                   |               |
| 174       | 6603       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 26                | Moderate      |
|           |            | Archaeological Sites |                      |                    |                   | 3.00           | 0.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 3.52           | 5.27           |                   |               |
|           |            | Alcids               | 25                   | 1                  | 0.5               | 2.00           | 3.50           |                   |               |
|           |            | Cormorants           | 19                   | 4                  | 0.5               | 6.07           | 10.63          |                   |               |
|           |            | Gulls                | 17                   | 2                  | 0.5               | 2.72           | 4.75           |                   |               |

| Area                 | Map Number | Element              | Relative Sensitivity | Relative Abundance   | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |      |       |    |      |
|----------------------|------------|----------------------|----------------------|----------------------|-------------------|----------------|----------------|-------------------|---------------|------|-------|----|------|
| 175                  | 6552       | Human Use            |                      |                      |                   | 2.00           | 4.00           | 68                | Extreme       |      |       |    |      |
|                      |            | Archaeological Sites |                      |                      |                   | 0.00           | 0.00           |                   |               |      |       |    |      |
|                      |            | Special Status Areas |                      |                      |                   | 0.00           | 0.00           |                   |               |      |       |    |      |
|                      |            | Communities          |                      |                      |                   | 0.00           | 0.00           |                   |               |      |       |    |      |
|                      |            | Oil Residency Index  |                      |                      |                   | 3.54           | 5.31           |                   |               |      |       |    |      |
|                      |            | Alcids               | 25                   | 5                    | 0.5               | 10.06          | 17.60          |                   |               |      |       |    |      |
|                      |            | Capelin              | 21                   | 4                    | 0.5               | 6.76           | 11.83          |                   |               |      |       |    |      |
|                      |            | Cormorants           | 19                   | 4                    | 0.5               | 6.12           | 10.70          |                   |               |      |       |    |      |
|                      |            | Gulls                | 17                   | 4                    | 0.5               | 5.47           | 9.58           |                   |               |      |       |    |      |
|                      |            | Seaducks             | 23                   | 1                    | 0.5               | 1.85           | 3.24           |                   |               |      |       |    |      |
|                      |            | Seaducks breeding    | 23                   | 1                    | 0.5               | 1.85           | 3.24           |                   |               |      |       |    |      |
|                      |            | Snow crab            | 9                    | 1                    | 1                 | 1.45           | 2.53           |                   |               |      |       |    |      |
| 176                  | 6602       | Human Use            |                      |                      |                   | 4.00           | 8.00           | 57                | Extreme       |      |       |    |      |
|                      |            | Archaeological Sites |                      |                      |                   | 1.00           | 2.00           |                   |               |      |       |    |      |
|                      |            | Special Status Areas |                      |                      |                   | 0.00           | 0.00           |                   |               |      |       |    |      |
|                      |            | Communities          |                      |                      |                   | 0.00           | 0.00           |                   |               |      |       |    |      |
|                      |            | Oil Residency Index  |                      |                      |                   | 2.75           | 4.12           |                   |               |      |       |    |      |
|                      |            | Alcids               | 25                   | 5                    | 0.5               | 7.80           | 13.66          |                   |               |      |       |    |      |
|                      |            | Capelin              | 21                   | 5                    | 0.5               | 6.56           | 11.47          |                   |               |      |       |    |      |
|                      |            | Cormorants           | 19                   | 3                    | 0.5               | 3.56           | 6.23           |                   |               |      |       |    |      |
|                      |            | Gulls                | 17                   | 5                    | 0.5               | 5.31           | 9.29           |                   |               |      |       |    |      |
|                      |            | Snow crab            | 9                    | 1                    | 1                 | 1.12           | 1.97           |                   |               |      |       |    |      |
|                      |            | 177                  | 6551                 | Human Use            |                   |                |                |                   |               | 5.00 | 10.00 | 36 | High |
|                      |            |                      |                      | Archaeological Sites |                   |                |                |                   |               | 5.00 | 10.00 |    |      |
| Special Status Areas |            |                      |                      |                      |                   | 0.00           | 0.00           |                   |               |      |       |    |      |
| Communities          |            |                      |                      |                      |                   | 0.00           | 0.00           |                   |               |      |       |    |      |
| Oil Residency Index  |            |                      |                      |                      |                   | 2.83           | 4.24           |                   |               |      |       |    |      |
| Capelin              | 21         |                      |                      | 3                    | 0.5               | 4.05           | 7.08           |                   |               |      |       |    |      |
| Lumpsucker           | 15         |                      |                      | 3                    | 0.25              | 1.45           | 2.53           |                   |               |      |       |    |      |
| Snow crab            | 9          |                      |                      | 1                    | 1                 | 1.16           | 2.02           |                   |               |      |       |    |      |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 178  | 6551       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 55                | Extreme       |
|      |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 10.00          | 20.00          |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.20           | 3.30           |                   |               |
|      |            | Gulls                | 17                   | 3                  | 0.25              | 1.28           | 2.23           |                   |               |
|      |            | Lumpsucker           | 15                   | 3                  | 0.25              | 1.13           | 1.97           |                   |               |
|      |            | Seaducks             | 23                   | 3                  | 0.5               | 3.45           | 6.04           |                   |               |
|      |            | Snow crab            | 9                    | 1                  | 1                 | 0.90           | 1.58           |                   |               |
| 179  | 6601       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 27                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.95           | 4.42           |                   |               |
|      |            | Capelin              | 21                   | 5                  | 0.5               | 7.04           | 12.32          |                   |               |
| 180  | 6551       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 33                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.02           | 4.53           |                   |               |
|      |            | Arctic Char          | 14                   | 4                  | 0.5               | 3.84           | 6.72           |                   |               |
|      |            | Capelin              | 21                   | 3                  | 0.5               | 4.32           | 7.56           |                   |               |
| 181  | 6551       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 26                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.54           | 3.81           |                   |               |
|      |            | Lumpsucker           | 15                   | 3                  | 0.25              | 1.30           | 2.27           |                   |               |
|      |            | Seaducks             | 23                   | 3                  | 1                 | 7.96           | 13.93          |                   |               |

| Area     | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 182      | 6601       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 19                | Low           |
|          |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 3.35           | 5.03           |                   |               |
|          |            | Capelin              | 21                   | 3                  | 0.5               | 4.80           | 8.40           |                   |               |
| 183      | 6601       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 16                | Low           |
|          |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 1.74           | 2.61           |                   |               |
|          |            | Arctic Char          | 14                   | 1                  | 0.5               | 0.55           | 0.97           |                   |               |
|          |            | Capelin              | 21                   | 3                  | 0.5               | 2.49           | 4.36           |                   |               |
|          |            | Lumpsucker           | 15                   | 2                  | 0.25              | 0.59           | 1.04           |                   |               |
| Seaducks | 23         | 1                    | 1                    | 1.82               | 3.18              |                |                |                   |               |
| 184      | 6601       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 18                | Low           |
|          |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.84           | 4.26           |                   |               |
|          |            | Capelin              | 21                   | 3                  | 0.5               | 4.06           | 7.11           |                   |               |
| Seaducks | 23         | 1                    | 0.5                  | 1.48               | 2.60              |                |                |                   |               |
| 185      | 6602       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 13                | Low           |
|          |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|          |            | Capelin              | 21                   | 1                  | 0.5               | 1.91           | 3.34           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 186  | 6653       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 14                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            | Arctic Char          | 14                   | 1                  | 0.5               | 1.27           | 2.23           |                   |               |
| 187  | 6653       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 24                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.55           | 4.45           |                   |               |
| 188  | 6654       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 22                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            | Arctic Char          | 14                   | 1                  | 0.5               | 1.27           | 2.23           |                   |               |
| 189  | 6654       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 12                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 4.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            | Arctic Char          | 14                   | 1                  | 0.5               | 1.27           | 2.23           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 190  | 6654       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 37                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            | Arctic Char          | 14                   | 3                  | 0.5               | 3.82           | 6.68           |                   |               |
|      |            | Harbour seal         | 18                   | 5                  | 0.5               | 8.18           | 14.32          |                   |               |
| 191  | 6653       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 20                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.55           | 4.45           |                   |               |
| 192  | 6602       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 8                 | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
| 193  | 6601       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 14                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.06           | 4.59           |                   |               |
|      |            | Capelin              | 21                   | 3                  | 0.5               | 4.39           | 7.68           |                   |               |

| Area     | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 194      | 6601       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 22                | Low           |
|          |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.58           | 3.88           |                   |               |
|          |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.64           | 2.88           |                   |               |
|          |            | Capelin              | 21                   | 3                  | 0.5               | 3.70           | 6.47           |                   |               |
|          |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.44           | 0.77           |                   |               |
| 195      | 6601       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 25                | Moderate      |
|          |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.70           | 4.05           |                   |               |
|          |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.72           | 3.01           |                   |               |
|          |            | Capelin              | 21                   | 3                  | 0.5               | 3.87           | 6.77           |                   |               |
|          |            | Lumpsucker           | 15                   | 2                  | 0.25              | 0.92           | 1.61           |                   |               |
| Scallop  | 18         | 1                    | 1                    | 2.21               | 3.87              |                |                |                   |               |
| 196      | 6601       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 6                 | Low           |
|          |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.00           | 3.00           |                   |               |
|          |            | Seaducks             | 23                   | 1                  | 0.25              | 0.52           | 0.91           |                   |               |
| 197      | 6601       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 15                | Low           |
|          |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|          |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|          |            | Oil Residency Index  |                      |                    |                   | 2.03           | 3.04           |                   |               |
|          |            | Lumpsucker           | 15                   | 2                  | 0.25              | 0.69           | 1.21           |                   |               |
|          |            | Scallop              | 18                   | 1                  | 1                 | 1.66           | 2.90           |                   |               |
| Seaducks | 23         | 1                    | 0.5                  | 1.06               | 1.86              |                |                |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 198  | 6601       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 34                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.43           | 5.14           |                   |               |
|      |            | Arctic Char          | 14                   | 4                  | 0.5               | 4.36           | 7.63           |                   |               |
|      |            | Capelin              | 21                   | 3                  | 0.5               | 4.91           | 8.59           |                   |               |
|      |            | Scallop              | 18                   | 1                  | 1                 | 2.80           | 4.91           |                   |               |
| 199  | 6601       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 23                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.33           | 3.49           |                   |               |
|      |            | Arctic Char          | 14                   | 3                  | 0.5               | 2.22           | 3.89           |                   |               |
|      |            | Capelin              | 21                   | 1                  | 0.5               | 1.11           | 1.95           |                   |               |
|      |            | Scallop              | 18                   | 1                  | 1                 | 1.91           | 3.34           |                   |               |
| 200  | 6601       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 42                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.00           | 3.00           |                   |               |
|      |            | Alcids               | 25                   | 2                  | 0.5               | 2.27           | 3.98           |                   |               |
|      |            | Gulls                | 17                   | 2                  | 0.5               | 1.55           | 2.70           |                   |               |
|      |            | Harbour seal         | 18                   | 4                  | 1                 | 6.55           | 11.46          |                   |               |
|      |            | Seaducks             | 23                   | 3                  | 1                 | 6.27           | 10.98          |                   |               |
|      |            | Seaducks breeding    | 23                   | 3                  | 1                 | 6.27           | 10.98          |                   |               |

| Area      | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|-----------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 201       | 6601       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 17                | Low           |
|           |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 3.73           | 5.59           |                   |               |
|           |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.37           | 4.15           |                   |               |
|           |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.64           | 1.11           |                   |               |
| 202       | 6601       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 41                | High          |
|           |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 2.20           | 3.31           |                   |               |
|           |            | Harbour seal         | 18                   | 5                  | 1                 | 9.02           | 15.78          |                   |               |
|           |            | Seaducks             | 23                   | 3                  | 1                 | 6.92           | 12.10          |                   |               |
| 203       | 6651       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 28                | Moderate      |
|           |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 3.01           | 4.52           |                   |               |
|           |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.92           | 3.36           |                   |               |
|           |            | Lumpsucker           | 15                   | 2                  | 0.25              | 1.03           | 1.80           |                   |               |
| Snow crab | 9          | 3                    | 1                    | 3.70               | 6.47              |                |                |                   |               |
| 204       | 6601       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 39                | High          |
|           |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 3.92           | 5.88           |                   |               |
|           |            | Capelin              | 21                   | 3                  | 0.5               | 5.61           | 9.82           |                   |               |
|           |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.67           | 1.17           |                   |               |
| Snow crab | 9          | 3                    | 1                    | 4.81               | 8.42              |                |                |                   |               |

| Area      | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|-----------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 205       | 6652       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 40                | High          |
|           |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|           |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.55           | 4.45           |                   |               |
|           |            | Capelin              | 21                   | 3                  | 0.5               | 5.73           | 10.02          |                   |               |
|           |            | Snow crab            | 9                    | 2                  | 1                 | 3.27           | 5.73           |                   |               |
| 206       | 6651       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 42                | High          |
|           |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 3.62           | 5.42           |                   |               |
|           |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.30           | 4.03           |                   |               |
|           |            | Capelin              | 21                   | 3                  | 0.5               | 5.18           | 9.06           |                   |               |
|           |            | Lumpsucker           | 15                   | 2                  | 0.25              | 1.23           | 2.16           |                   |               |
| Snow crab | 9          | 3                    | 1                    | 4.44               | 7.77              |                |                |                   |               |
| 207       | 6651       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 34                | High          |
|           |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 3.50           | 5.25           |                   |               |
|           |            | Arctic Char          | 14                   | 1                  | 0.5               | 1.11           | 1.95           |                   |               |
|           |            | Capelin              | 21                   | 1                  | 0.5               | 1.67           | 2.92           |                   |               |
|           |            | Lumpsucker           | 15                   | 2                  | 0.25              | 1.19           | 2.09           |                   |               |
| Snow crab | 9          | 3                    | 1                    | 4.30               | 7.52              |                |                |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 208  | 6651       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 41                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.99           | 4.48           |                   |               |
|      |            | Capelin              | 21                   | 1                  | 0.5               | 1.43           | 2.50           |                   |               |
|      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.51           | 0.89           |                   |               |
|      |            | Scallop              | 18                   | 3                  | 1                 | 7.34           | 12.84          |                   |               |
|      |            | Snow crab            | 9                    | 3                  | 1                 | 3.67           | 6.42           |                   |               |
| 209  | 6651       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 68                | Extreme       |
|      |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 10.00          | 20.00          |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 1.93           | 2.90           |                   |               |
|      |            | Lumpsucker           | 15                   | 2                  | 0.25              | 0.66           | 1.15           |                   |               |
|      |            | Scallop              | 18                   | 4                  | 1                 | 6.32           | 11.06          |                   |               |
|      |            | Seaducks             | 23                   | 3                  | 1                 | 6.06           | 10.60          |                   |               |
|      |            | Snow crab            | 9                    | 3                  | 1                 | 2.37           | 4.15           |                   |               |
| 210  | 6652       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 32                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.81           | 4.22           |                   |               |
|      |            | Arctic Char          | 14                   | 3                  | 0.5               | 2.69           | 4.70           |                   |               |
|      |            | Capelin              | 21                   | 3                  | 0.5               | 4.03           | 7.05           |                   |               |
|      |            | Lumpsucker           | 15                   | 2                  | 0.25              | 0.96           | 1.68           |                   |               |
|      |            | Snow crab            | 9                    | 2                  | 1                 | 2.30           | 4.03           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 211  | 6652       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 34                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.00           | 4.49           |                   |               |
|      |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.91           | 3.34           |                   |               |
|      |            | Capelin              | 21                   | 3                  | 0.5               | 4.29           | 7.51           |                   |               |
|      |            | Lumpsucker           | 15                   | 2                  | 0.25              | 1.02           | 1.79           |                   |               |
|      |            | Snow crab            | 9                    | 3                  | 1                 | 3.68           | 6.43           |                   |               |
| 212  | 6651       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 58                | Extreme       |
|      |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.58           | 3.88           |                   |               |
|      |            | Alcids               | 25                   | 1                  | 0.5               | 1.47           | 2.57           |                   |               |
|      |            | Cormorants           | 19                   | 1                  | 0.5               | 1.12           | 1.95           |                   |               |
|      |            | Gulls                | 17                   | 2                  | 0.25              | 1.00           | 1.75           |                   |               |
|      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.44           | 0.77           |                   |               |
|      |            | Scallop              | 18                   | 4                  | 1                 | 8.46           | 14.80          |                   |               |
|      |            | Seaducks             | 23                   | 1                  | 1                 | 2.70           | 4.73           |                   |               |
|      |            | Seaducks breeding    | 23                   | 1                  | 1                 | 2.70           | 4.73           |                   |               |
|      |            | Snow crab            | 9                    | 3                  | 1                 | 3.17           | 5.55           |                   |               |
| 213  | 6652       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 17                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.99           | 4.49           |                   |               |
|      |            | Gulls                | 17                   | 3                  | 0.5               | 3.47           | 6.07           |                   |               |
|      |            | Snow crab            | 9                    | 2                  | 1                 | 2.45           | 4.29           |                   |               |

| Area      | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|-----------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 214       | 6651       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 27                | Moderate      |
|           |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 2.79           | 4.18           |                   |               |
|           |            | Capelin              | 21                   | 3                  | 0.5               | 3.99           | 6.98           |                   |               |
|           |            | Lumpsucker           | 15                   | 2                  | 0.25              | 0.95           | 1.66           |                   |               |
|           |            | Snow crab            | 9                    | 3                  | 1                 | 3.42           | 5.98           |                   |               |
| 215       | 6652       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 42                | High          |
|           |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 3.48           | 5.22           |                   |               |
|           |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.22           | 3.88           |                   |               |
|           |            | Capelin              | 21                   | 3                  | 0.5               | 4.98           | 8.72           |                   |               |
|           |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.59           | 1.04           |                   |               |
| Snow crab | 9          | 2                    | 1                    | 2.85               | 4.98              |                |                |                   |               |
| 216       | 6652       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 55                | Extreme       |
|           |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|           |            | Alcids               | 25                   | 1                  | 0.5               | 2.27           | 3.98           |                   |               |
|           |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.55           | 4.45           |                   |               |
|           |            | Capelin              | 21                   | 4                  | 0.5               | 7.64           | 13.36          |                   |               |
|           |            | Gulls                | 17                   | 4                  | 0.5               | 6.18           | 10.82          |                   |               |
| Snow crab | 9          | 1                    | 1                    | 1.64               | 2.86              |                |                |                   |               |

| Area      | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|-----------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 217       | 6652       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 50                | Extreme       |
|           |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|           |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.55           | 4.46           |                   |               |
|           |            | Capelin              | 21                   | 4                  | 0.5               | 7.64           | 13.37          |                   |               |
|           |            | Snow crab            | 9                    | 3                  | 1                 | 4.91           | 8.59           |                   |               |
| 218       | 6652       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 37                | High          |
|           |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 2.74           | 4.11           |                   |               |
|           |            | Capelin              | 21                   | 3                  | 0.5               | 3.92           | 6.87           |                   |               |
|           |            | Lumpsucker           | 15                   | 2                  | 0.25              | 0.93           | 1.64           |                   |               |
|           |            | Snow crab            | 9                    | 3                  | 1                 | 3.36           | 5.89           |                   |               |
| 219       | 6651       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 43                | High          |
|           |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 10.00          | 20.00          |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 1.28           | 1.92           |                   |               |
|           |            | Arctic Char          | 14                   | 1                  | 0.5               | 0.41           | 0.71           |                   |               |
|           |            | Capelin              | 21                   | 3                  | 0.5               | 1.83           | 3.21           |                   |               |
|           |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.22           | 0.38           |                   |               |
| Snow crab | 9          | 3                    | 1                    | 1.57               | 2.75              |                |                |                   |               |

| Area                 | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |      |       |
|----------------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|------|-------|
| 220                  | 6651       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 41                | High          |      |       |
|                      |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |      |       |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |      |       |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |      |       |
|                      |            | Oil Residency Index  |                      |                    |                   | 2.36           | 3.54           |                   |               |      |       |
|                      |            | Alcids               | 25                   | 1                  | 0.5               | 1.34           | 2.34           |                   |               |      |       |
|                      |            | Capelin              | 21                   | 1                  | 0.5               | 1.13           | 1.97           |                   |               |      |       |
|                      |            | Gulls                | 17                   | 2                  | 0.5               | 1.82           | 3.19           |                   |               |      |       |
|                      |            | Lumpsucker           | 15                   | 2                  | 0.25              | 0.80           | 1.41           |                   |               |      |       |
|                      |            | Scallop              | 18                   | 1                  | 1                 | 1.93           | 3.38           |                   |               |      |       |
|                      |            | Snow crab            | 9                    | 3                  | 1                 | 2.89           | 5.06           |                   |               |      |       |
| 221                  | 6651       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 35                | High          |      |       |
|                      |            | Archaeological Sites |                      |                    |                   | 5.00           | 10.00          |                   |               |      |       |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |      |       |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |      |       |
|                      |            | Oil Residency Index  |                      |                    |                   | 2.12           | 3.19           |                   |               |      |       |
|                      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.36           | 0.63           |                   |               |      |       |
|                      |            | Scallop              | 18                   | 1                  | 1                 | 1.74           | 3.04           |                   |               |      |       |
|                      |            | Seaducks             | 23                   | 1                  | 0.5               | 1.11           | 1.94           |                   |               |      |       |
|                      |            |                      |                      | Snow crab          | 9                 | 4              | 1              |                   |               | 3.48 | 6.08  |
|                      |            | 222                  | 6651                 | Human Use          |                   |                |                |                   |               | 5.00 | 10.00 |
| Archaeological Sites |            |                      |                      |                    |                   | 5.00           | 10.00          |                   |               |      |       |
| Special Status Areas |            |                      |                      |                    |                   | 0.00           | 0.00           |                   |               |      |       |
| Communities          |            |                      |                      |                    |                   | 10.00          | 20.00          |                   |               |      |       |
| Oil Residency Index  |            |                      |                      |                    |                   | 2.64           | 3.97           |                   |               |      |       |
| Capelin              | 21         |                      |                      | 1                  | 0.5               | 1.26           | 2.21           |                   |               |      |       |
| Lumpsucker           | 15         |                      |                      | 2                  | 0.25              | 0.90           | 1.58           |                   |               |      |       |
| Scallop              | 18         |                      |                      | 4                  | 1                 | 8.65           | 15.14          |                   |               |      |       |
|                      |            |                      |                      | Snow crab          | 9                 | 4              | 1              | 4.33              | 7.57          |      |       |

| Area      | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|-----------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 223       | 6701       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 18                | Low           |
|           |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 2.00           | 3.01           |                   |               |
|           |            | Seaducks             | 23                   | 1                  | 0.5               | 1.05           | 1.83           |                   |               |
|           |            | Snow crab            | 9                    | 2                  | 1                 | 1.64           | 2.87           |                   |               |
| 224       | 6701       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 18                | Low           |
|           |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 2.00           | 3.00           |                   |               |
|           |            | Alcids               | 25                   | 1                  | 0.5               | 1.14           | 1.99           |                   |               |
|           |            | Gulls                | 17                   | 1                  | 0.5               | 0.77           | 1.35           |                   |               |
|           |            | Seaducks             | 23                   | 1                  | 0.5               | 1.05           | 1.83           |                   |               |
|           |            | Snow crab            | 9                    | 1                  | 1                 | 0.82           | 1.43           |                   |               |
| 225       | 6701       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 27                | Moderate      |
|           |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 3.80           | 5.70           |                   |               |
|           |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.42           | 4.23           |                   |               |
|           |            | Capelin              | 21                   | 3                  | 0.5               | 5.44           | 9.51           |                   |               |
| 226       | 6701       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 25                | Moderate      |
|           |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 2.63           | 3.95           |                   |               |
|           |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.68           | 2.93           |                   |               |
|           |            | Capelin              | 21                   | 1                  | 0.5               | 1.26           | 2.20           |                   |               |
| Snow crab | 9          | 1                    | 1                    | 1.08               | 1.89              |                |                |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 227  | 6701       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 27                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 1.98           | 2.97           |                   |               |
|      |            | Alcids               | 25                   | 4                  | 0.5               | 4.50           | 7.88           |                   |               |
|      |            | Gulls                | 17                   | 1                  | 0.5               | 0.77           | 1.34           |                   |               |
|      |            | Seaducks             | 23                   | 1                  | 0.5               | 1.04           | 1.81           |                   |               |
|      |            | Seaducks breeding    | 23                   | 1                  | 0.5               | 1.04           | 1.81           |                   |               |
|      |            | Snow crab            | 9                    | 1                  | 1                 | 0.81           | 1.42           |                   |               |
| 228  | 6701       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 24                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.58           | 5.37           |                   |               |
|      |            | Arctic Char          | 14                   | 1                  | 0.5               | 1.14           | 1.99           |                   |               |
|      |            | Capelin              | 21                   | 3                  | 0.5               | 5.13           | 8.97           |                   |               |
|      |            |                      |                      |                    |                   |                |                |                   |               |
| 229  | 6701       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 30                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.83           | 4.24           |                   |               |
|      |            | Alcids               | 25                   | 3                  | 0.5               | 4.82           | 8.43           |                   |               |
|      |            | Gulls                | 17                   | 1                  | 0.5               | 1.09           | 1.91           |                   |               |
|      |            | Seaducks             | 23                   | 1                  | 0.5               | 1.48           | 2.59           |                   |               |
|      |            | Seaducks breeding    | 23                   | 1                  | 0.5               | 1.48           | 2.59           |                   |               |
|      |            | Snow crab            | 9                    | 1                  | 1                 | 1.16           | 2.02           |                   |               |

| Area      | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|-----------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 230       | 6701       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 31                | Moderate      |
|           |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 3.62           | 5.43           |                   |               |
|           |            | Arctic Char          | 14                   | 3                  | 0.5               | 3.45           | 6.05           |                   |               |
|           |            | Snow crab            | 9                    | 3                  | 1                 | 4.44           | 7.77           |                   |               |
| 231       | 6702       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 28                | Moderate      |
|           |            | Archaeological Sites |                      |                    |                   | 3.00           | 0.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|           |            | Arctic Char          | 14                   | 5                  | 0.5               | 6.36           | 11.14          |                   |               |
|           |            | Snow crab            | 9                    | 1                  | 1                 | 1.64           | 2.86           |                   |               |
| 232       | 6702       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 24                | Moderate      |
|           |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|           |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.55           | 4.45           |                   |               |
|           |            | Harbour seal         | 18                   | 3                  | 0.25              | 2.45           | 4.30           |                   |               |
| Snow crab | 9          | 1                    | 1                    | 1.64               | 2.86              |                |                |                   |               |
| 233       | 6701       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 27                | Moderate      |
|           |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|           |            | Oil Residency Index  |                      |                    |                   | 3.97           | 5.96           |                   |               |
|           |            | Arctic Char          | 14                   | 3                  | 0.5               | 3.79           | 6.63           |                   |               |
|           |            | Snow crab            | 9                    | 3                  | 1                 | 4.87           | 8.53           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 234  | 6701       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 15                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.82           | 4.23           |                   |               |
|      |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.79           | 3.14           |                   |               |
|      |            | Seaducks             | 23                   | 1                  | 0.25              | 0.74           | 1.29           |                   |               |
| 235  | 6701       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 17                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.45           | 3.68           |                   |               |
|      |            | Scallop              | 18                   | 1                  | 1                 | 2.01           | 3.51           |                   |               |
|      |            | Seaducks             | 23                   | 1                  | 0.5               | 1.28           | 2.24           |                   |               |
| 236  | 6701       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 24                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.65           | 3.98           |                   |               |
|      |            | Seaducks             | 23                   | 4                  | 0.5               | 5.55           | 9.71           |                   |               |
| 237  | 6701       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 33                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.25           | 3.37           |                   |               |
|      |            | Seaducks             | 23                   | 4                  | 1                 | 9.41           | 16.46          |                   |               |
|      |            | Snow crab            | 9                    | 1                  | 1                 | 0.92           | 1.61           |                   |               |

| Area                 | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 238                  | 6701       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 19                | Low           |
|                      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 2.40           | 3.60           |                   |               |
|                      |            | Scallop              | 18                   | 1                  | 1                 | 1.96           | 3.43           |                   |               |
|                      |            | Seaducks             | 23                   | 1                  | 0.5               | 1.25           | 2.19           |                   |               |
| 239                  | 6701       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 9                 | Low           |
|                      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 2.00           | 3.00           |                   |               |
|                      |            | Seaducks             | 23                   | 1                  | 0.5               | 1.05           | 1.83           |                   |               |
|                      |            | 240                  | 6751                 | Human Use          |                   |                |                |                   |               |
| Archaeological Sites |            |                      |                      |                    |                   | 1.00           | 2.00           |                   |               |
| Special Status Areas |            |                      |                      |                    |                   | 0.00           | 0.00           |                   |               |
| Communities          |            |                      |                      |                    |                   | 0.00           | 0.00           |                   |               |
| Oil Residency Index  |            |                      |                      |                    |                   | 3.32           | 4.97           |                   |               |
| Arctic Char          | 14         |                      |                      | 3                  | 0.5               | 3.17           | 5.54           |                   |               |
| Seaducks             | 23         |                      |                      | 3                  | 0.5               | 5.20           | 9.10           |                   |               |
| 241                  | 6752       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 12                | Low           |
|                      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 3.30           | 4.94           |                   |               |
|                      |            | Seaducks             | 23                   | 1                  | 0.5               | 1.72           | 3.01           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 242  | 6752       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 37                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.47           | 5.21           |                   |               |
|      |            | Alcids               | 25                   | 1                  | 0.5               | 1.97           | 3.45           |                   |               |
|      |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.21           | 3.87           |                   |               |
|      |            | Cormorants           | 19                   | 4                  | 0.5               | 6.00           | 10.50          |                   |               |
|      |            | Gulls                | 17                   | 2                  | 0.5               | 2.68           | 4.70           |                   |               |
|      |            | Seaducks breeding    | 23                   | 1                  | 0.5               | 1.82           | 3.18           |                   |               |
| 243  | 6752       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 7                 | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.35           | 5.03           |                   |               |
|      |            |                      |                      |                    |                   |                |                |                   |               |
| 244  | 6753       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 42                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 5.00           | 7.50           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            | Alcids               | 25                   | 1                  | 0.5               | 2.27           | 3.98           |                   |               |
|      |            | Arctic Char          | 14                   | 3                  | 0.5               | 3.82           | 6.68           |                   |               |
|      |            | Cormorants           | 19                   | 3                  | 0.5               | 5.18           | 9.07           |                   |               |
|      |            | Gulls                | 17                   | 1                  | 0.5               | 1.55           | 2.70           |                   |               |
| 245  | 6754       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 26                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 5.00           | 7.50           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            | Arctic Char          | 14                   | 3                  | 0.5               | 3.82           | 6.68           |                   |               |

| Area              | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|-------------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 246               | 6754       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 49                | Extreme       |
|                   |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 5.00           | 7.50           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|                   |            | Alcids               | 25                   | 1                  | 0.5               | 2.27           | 3.98           |                   |               |
|                   |            | Arctic Char          | 14                   | 4                  | 0.5               | 5.09           | 8.91           |                   |               |
|                   |            | Cormorants           | 19                   | 4                  | 0.5               | 6.91           | 12.09          |                   |               |
|                   |            | Gulls                | 17                   | 1                  | 0.5               | 1.55           | 2.70           |                   |               |
| 247               | 6754       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 36                | High          |
|                   |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 5.00           | 7.50           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|                   |            | Alcids               | 25                   | 1                  | 0.5               | 2.27           | 3.98           |                   |               |
|                   |            | Arctic Char          | 14                   | 1                  | 0.5               | 1.27           | 2.23           |                   |               |
|                   |            | Cormorants           | 19                   | 4                  | 0.5               | 6.91           | 12.09          |                   |               |
|                   |            | Gulls                | 17                   | 1                  | 0.5               | 1.55           | 2.70           |                   |               |
| 248               | 6754       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 39                | High          |
|                   |            | Archaeological Sites |                      |                    |                   | 3.00           | 0.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 5.00           | 7.50           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|                   |            | Cormorants           | 19                   | 2                  | 0.5               | 3.45           | 6.05           |                   |               |
|                   |            | Gulls                | 17                   | 5                  | 0.5               | 7.73           | 13.52          |                   |               |
| Seaducks breeding | 23         | 1                    | 0.5                  | 2.09               | 3.66              |                |                |                   |               |
| 249               | 6754       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 12                | Low           |
|                   |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|                   |            | Harbour seal         | 18                   | 3                  | 0.25              | 2.45           | 4.30           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 250  | 6754       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 31                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            | Alcids               | 25                   | 3                  | 0.5               | 6.82           | 11.93          |                   |               |
|      |            | Gulls                | 17                   | 1                  | 0.5               | 1.55           | 2.70           |                   |               |
|      |            | Harbour seal         | 18                   | 3                  | 0.25              | 2.45           | 4.30           |                   |               |
|      |            | Seaducks breeding    | 23                   | 1                  | 0.5               | 2.09           | 3.66           |                   |               |
| 251  | 6754       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 37                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            | Alcids               | 25                   | 1                  | 0.5               | 2.27           | 3.98           |                   |               |
|      |            | Cormorants           | 19                   | 5                  | 0.5               | 8.64           | 15.11          |                   |               |
|      |            | Gulls                | 17                   | 1                  | 0.5               | 1.55           | 2.70           |                   |               |
|      |            | Seaducks breeding    | 23                   | 2                  | 0.5               | 4.18           | 7.32           |                   |               |
| 252  | 6754       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 39                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            | Alcids               | 25                   | 5                  | 0.5               | 11.36          | 19.89          |                   |               |
|      |            | Cormorants           | 19                   | 2                  | 0.5               | 3.45           | 6.05           |                   |               |
|      |            | Gulls                | 17                   | 2                  | 0.5               | 3.09           | 5.41           |                   |               |

| Area  | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|-------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 253   | 6753       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 22                | Moderate      |
|       |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|       |            | Alcids               | 25                   | 2                  | 0.5               | 4.55           | 7.95           |                   |               |
|       |            | Gulls                | 17                   | 1                  | 0.5               | 1.55           | 2.70           |                   |               |
|       |            | Seaducks breeding    | 23                   | 1                  | 0.5               | 2.09           | 3.66           |                   |               |
| 254   | 6753       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 43                | High          |
|       |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|       |            | Alcids               | 25                   | 2                  | 0.5               | 4.55           | 7.96           |                   |               |
|       |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.55           | 4.45           |                   |               |
|       |            | Cormorants           | 19                   | 2                  | 0.5               | 3.45           | 6.05           |                   |               |
|       |            | Gulls                | 17                   | 2                  | 0.5               | 3.09           | 5.41           |                   |               |
|       |            | Seaducks breeding    | 23                   | 2                  | 0.5               | 4.18           | 7.32           |                   |               |
| 255   | 6753       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 56                | Extreme       |
|       |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|       |            | Alcids               | 25                   | 4                  | 0.5               | 9.09           | 15.91          |                   |               |
|       |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.55           | 4.45           |                   |               |
|       |            | Cormorants           | 19                   | 5                  | 0.5               | 8.64           | 15.11          |                   |               |
| Gulls | 17         | 3                    | 0.5                  | 4.64               | 8.11              |                |                |                   |               |

| Area              | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|-------------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 256               | 6753       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 12                | Low           |
|                   |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|                   |            | Arctic Char          | 14                   | 1                  | 0.5               | 1.27           | 2.23           |                   |               |
| 257               | 6753       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 19                | Low           |
|                   |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|                   |            | Gulls                | 17                   | 4                  | 0.5               | 6.18           | 10.82          |                   |               |
| 258               | 6752       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 35                | High          |
|                   |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 3.46           | 5.19           |                   |               |
|                   |            | Alcids               | 25                   | 1                  | 0.5               | 1.97           | 3.44           |                   |               |
|                   |            | Cormorants           | 19                   | 4                  | 0.5               | 5.97           | 10.45          |                   |               |
|                   |            | Gulls                | 17                   | 1                  | 0.5               | 1.34           | 2.34           |                   |               |
| Seaducks breeding | 23         | 3                    | 0.5                  | 5.42               | 9.49              |                |                |                   |               |
| 259               | 6751       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 26                | Moderate      |
|                   |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                   |            | Oil Residency Index  |                      |                    |                   | 2.75           | 4.13           |                   |               |
|                   |            | Alcids               | 25                   | 2                  | 0.5               | 3.13           | 5.48           |                   |               |
|                   |            | Cormorants           | 19                   | 3                  | 0.5               | 3.57           | 6.24           |                   |               |
|                   |            | Gulls                | 17                   | 1                  | 0.5               | 1.06           | 1.86           |                   |               |
|                   |            | Scallop              | 18                   | 1                  | 1                 | 2.25           | 3.94           |                   |               |
| Seaducks          | 23         | 1                    | 0.5                  | 1.44               | 2.52              |                |                |                   |               |

| Area                 | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|----------------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 260                  | 6751       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 22                | Moderate      |
|                      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 1.96           | 2.94           |                   |               |
|                      |            | Arctic Char          | 14                   | 2                  | 0.5               | 1.25           | 2.18           |                   |               |
|                      |            | Seaducks             | 23                   | 5                  | 0.5               | 5.12           | 8.96           |                   |               |
| 261                  | 6701       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 16                | Low           |
|                      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 2.00           | 3.00           |                   |               |
|                      |            | Seaducks             | 23                   | 5                  | 0.5               | 5.23           | 9.15           |                   |               |
|                      |            | 262                  | 6751                 | Human Use          |                   |                |                |                   |               |
| Archaeological Sites |            |                      |                      |                    |                   | 1.00           | 2.00           |                   |               |
| Special Status Areas |            |                      |                      |                    |                   | 0.00           | 0.00           |                   |               |
| Communities          |            |                      |                      |                    |                   | 0.00           | 0.00           |                   |               |
| Oil Residency Index  |            |                      |                      |                    |                   | 2.69           | 4.03           |                   |               |
| Alcids               | 25         |                      |                      | 1                  | 0.5               | 1.53           | 2.67           |                   |               |
| Arctic Char          | 14         |                      |                      | 2                  | 0.5               | 1.71           | 2.99           |                   |               |
| Gulls                | 17         |                      |                      | 1                  | 0.5               | 1.04           | 1.82           |                   |               |
| 263                  | 6751       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 16                | Low           |
|                      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|                      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|                      |            | Oil Residency Index  |                      |                    |                   | 3.46           | 5.19           |                   |               |
|                      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.59           | 1.03           |                   |               |

| Area       | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 264        | 6751       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 30                | Moderate      |
|            |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 2.75           | 4.12           |                   |               |
|            |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.47           | 0.82           |                   |               |
|            |            | Seaducks             | 23                   | 5                  | 0.5               | 7.18           | 12.56          |                   |               |
| 265        | 6751       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 25                | Moderate      |
|            |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 3.20           | 4.81           |                   |               |
|            |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.04           | 3.57           |                   |               |
|            |            | Capelin              | 21                   | 2                  | 0.5               | 3.06           | 5.35           |                   |               |
| Lumpsucker | 15         | 1                    | 0.25                 | 0.55               | 0.96              |                |                |                   |               |
| 266        | 6751       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 24                | Moderate      |
|            |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 3.40           | 5.09           |                   |               |
|            |            | Capelin              | 21                   | 1                  | 0.5               | 1.62           | 2.84           |                   |               |
|            |            | Scallop              | 18                   | 2                  | 1                 | 5.56           | 9.73           |                   |               |
| 267        | 6751       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 53                | Extreme       |
|            |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|            |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|            |            | Oil Residency Index  |                      |                    |                   | 3.65           | 5.47           |                   |               |
|            |            | Cormorants           | 19                   | 1                  | 0.5               | 1.58           | 2.76           |                   |               |
|            |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.62           | 1.09           |                   |               |
|            |            | Scallop              | 18                   | 5                  | 1                 | 14.93          | 26.12          |                   |               |
|            |            | Seaducks             | 23                   | 1                  | 0.5               | 1.91           | 3.34           |                   |               |
| Snow crab  | 9          | 1                    | 1                    | 1.49               | 2.61              |                |                |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 268  | 6751       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 24                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 1.60           | 2.40           |                   |               |
|      |            | Seaducks             | 23                   | 4                  | 1                 | 6.69           | 11.71          |                   |               |
| 269  | 6751       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 51                | Extreme       |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 6.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.04           | 3.06           |                   |               |
|      |            | Alcids               | 25                   | 1                  | 0.5               | 1.16           | 2.03           |                   |               |
|      |            | Cormorants           | 19                   | 1                  | 0.5               | 0.88           | 1.54           |                   |               |
|      |            | Gulls                | 17                   | 4                  | 0.5               | 3.15           | 5.51           |                   |               |
|      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.35           | 0.61           |                   |               |
|      |            | Scallop              | 18                   | 2                  | 1                 | 3.33           | 5.84           |                   |               |
|      |            | Seaducks             | 23                   | 4                  | 1                 | 8.52           | 14.91          |                   |               |
|      |            | Snow crab            | 9                    | 1                  | 1                 | 0.83           | 1.46           |                   |               |
| 270  | 6751       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 37                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.05           | 4.57           |                   |               |
|      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.52           | 0.91           |                   |               |
|      |            | Scallop              | 18                   | 4                  | 1                 | 9.98           | 17.46          |                   |               |
|      |            | Snow crab            | 9                    | 1                  | 1                 | 1.25           | 2.18           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 271  | 6751       | Human Use            |                      |                    |                   | 5.00           | 10.00          | 44                | High          |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.98           | 5.96           |                   |               |
|      |            | Lumpsucker           | 15                   | 2                  | 0.25              | 1.36           | 2.37           |                   |               |
|      |            | Scallop              | 18                   | 4                  | 1                 | 13.01          | 22.77          |                   |               |
|      |            | Snow crab            | 9                    | 1                  | 1                 | 1.63           | 2.85           |                   |               |
| 273  | 6751       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 15                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.51           | 5.26           |                   |               |
|      |            | Capelin              | 21                   | 1                  | 0.5               | 1.67           | 2.93           |                   |               |
|      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.60           | 1.05           |                   |               |
| 274  | 6752       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 19                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 1.00           | 2.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.03           | 4.54           |                   |               |
|      |            | Capelin              | 21                   | 1                  | 0.5               | 1.44           | 2.53           |                   |               |
|      |            | Lumpsucker           | 15                   | 2                  | 0.25              | 1.03           | 1.81           |                   |               |
| 275  | 6751       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 22                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 2.33           | 3.49           |                   |               |
|      |            | Arctic Char          | 14                   | 1                  | 0.5               | 0.74           | 1.30           |                   |               |
|      |            | Capelin              | 21                   | 2                  | 0.5               | 2.22           | 3.89           |                   |               |
|      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.40           | 0.69           |                   |               |
|      |            | Scallop              | 18                   | 1                  | 1                 | 1.90           | 3.33           |                   |               |
|      |            | Snow crab            | 9                    | 1                  | 1                 | 0.95           | 1.67           |                   |               |

| Area | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 276  | 6752       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 25                | Moderate      |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.77           | 5.65           |                   |               |
|      |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.40           | 4.20           |                   |               |
|      |            | Capelin              | 21                   | 2                  | 0.5               | 3.60           | 6.30           |                   |               |
|      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.64           | 1.12           |                   |               |
| 277  | 6752       | Human Use            |                      |                    |                   | 2.00           | 4.00           | 11                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 3.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.68           | 1.19           |                   |               |
|      |            |                      |                      |                    |                   |                |                |                   |               |
| 278  | 6752       | Human Use            |                      |                    |                   | 4.00           | 8.00           | 17                | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 1.63           | 2.45           |                   |               |
|      |            | Arctic Char          | 14                   | 3                  | 0.5               | 1.56           | 2.73           |                   |               |
|      |            | Capelin              | 21                   | 1                  | 0.5               | 0.78           | 1.36           |                   |               |
|      |            | Lumpsucker           | 15                   | 1                  | 0.25              | 0.28           | 0.49           |                   |               |
|      |            | Scallop              | 18                   | 1                  | 1                 | 1.34           | 2.34           |                   |               |
| 288  | 6754       | Human Use            |                      |                    |                   | 1.00           | 2.00           | 7                 | Low           |
|      |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|      |            | Oil Residency Index  |                      |                    |                   | 3.12           | 4.69           |                   |               |

| Area  | Map Number | Element              | Relative Sensitivity | Relative Abundance | Temporal Modifier | Assigned Value | Priority Index | Sensitivity Value | Final Ranking |
|-------|------------|----------------------|----------------------|--------------------|-------------------|----------------|----------------|-------------------|---------------|
| 289   | 6754       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 31                | Moderate      |
|       |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Oil Residency Index  |                      |                    |                   | 4.00           | 6.00           |                   |               |
|       |            | Alcids               | 25                   | 1                  | 0.5               | 2.27           | 3.98           |                   |               |
|       |            | Arctic Char          | 14                   | 2                  | 0.5               | 2.55           | 4.45           |                   |               |
| Gulls | 17         | 4                    | 0.5                  | 6.18               | 10.82             |                |                |                   |               |
| 290   | 6754       | Human Use            |                      |                    |                   | 3.00           | 6.00           | 8                 | Low           |
|       |            | Archaeological Sites |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Special Status Areas |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Communities          |                      |                    |                   | 0.00           | 0.00           |                   |               |
|       |            | Oil Residency Index  |                      |                    |                   | 1.08           | 1.61           |                   |               |
|       |            |                      |                      |                    |                   |                |                |                   |               |