


HYPACK[®]




HYDROGRAPHIC SURVEY SOFTWARE

HYPACK®


HYPACK® is one of the most widely used hydrographic surveying packages in the world, with over 3,000 users. It provides the surveyor with all of the tools needed to design their survey, collect data, process it, reduce it, and generate final products. Whether you are collecting hydrographic survey data or environmental data, or positioning your vessel in an engineering project, HYPACK® provides the tools needed to complete your job. With users spanning the range from small vessel surveys with just a GPS and single beam echosounder to large survey ships with networked sensors and systems, HYPACK® gives you the power needed to accomplish your task in a system your surveyors can master.




SURVEY DESIGN: HYPACK® allows you to create a 'Project' that contains all of your survey information for each job. You can easily define your geodetic basis, selecting from existing national grids or defining your own projection or local grid. HYPACK® also allows you to import background files in a variety of formats, including S-57, OrthoTif, ARCS, DXF, DGN, BSB and VPF. These files can be displayed while you create your planned lines, survey, edit and plot your results.



SURVEY: HYPACK® contains interface drivers to over 200 devices including positioning systems, echosounders, heave-pitch-roll sensors, gyros and other types of equipment. SURVEY supports a single vessel or multiple vessels, along with towfish and ROVs. Data is logged with incredible precision (<1mSec). Survey data and windows can be broadcast over a network to any other computer or saved to a file using our Shared Memory Output routines.




EDITING: The SINGLE BEAM EDITOR program is used to quickly review your survey data and to automatically and/or manually remove outliers. Sounding data is simultaneously displayed in plan, spreadsheet, and profile views with the channel design info drawn in the backgrounds. Routines developed by HYPACK® in collaboration with the U.S. Army Corps of Engineers to integrate water level corrections based on RTK GPS elevation info are a standard part of package.




FINAL PRODUCTS: The ability to create the final products you need separates HYPACK® from the rest. The plotting program generates professional smooth sheets with soundings, grids, graphics and contours in a WYSIWYG display. The VOLUMES program is the de facto standard of the U.S. Army Corps of Engineers for the computation of quantities in dredging projects. TIN MODEL creates surface models that can be used for contouring, volume computations and surface visualization.

HYPACK®


Support: An important factor in the purchase of any hydrographic survey system is the support provided to the end-user. **HYPACK®** prides itself on taking good care of our users. A trained, professional staff is on-call to answer your questions, develop custom device drivers or modify programs to meet your needs. **HYPACK®** training seminars are held annually in many countries to provide you with the latest information. We continue to update our training materials every year to make it easier for you to get the most out of our products. Our latest training material contains PowerPoint presentations with embedded AVI demonstrations on over 100 topics. Our bi-monthly newsletter, 'Sounding Better' is published on our web site (www.hypack.com) and contains technical articles on how to get the most out of your package.




DATA VISUALIZATION: The TIN MODEL and 3D TERRAIN VIEWER (3DTV) programs of **HYPACK®** provide fantastic tools to view and present your data. 3DTV allows you to fly a 'camera' across your edited XYZ surface and display the results or save them to a AVI file for distribution to your clients. 3DTV also allows you to position the camera relative to the actual vessel position, showing the vessel in real time against the bottom surface.



ENCEdit is a new **HYPACK®** module that allows you to create, modify and verify ENC data in S-57 format. ENCEdit provides you with tools to re-attribute, create, move or delete existing features. You can also create new features by manually entering coordinates, by importing data from DXF/DGN, or by transferring targets in real time from SURVEY directly into ENCEdit.




Side Scan Sonar (SSS) Support: **HYPACK®** provides support of SSS systems in its basic package. All analog and several digital side scan systems can be utilized with the SIDE SCAN SURVEY program. Users can display the real time data and perform targeting in real time or post-processing. A program that generates side scan mosaics in Geo-TIF format allows you to plot your results in **HYPACK®** or export them to your GIS.




Export to CAD: Many of our users are interested in exporting their survey data into their CAD/GIS package. **HYPACK®** has several tools to import/export via DXF/DGN. The EXPORT TO CAD program takes all of our files and converts them to DXF and DGN. The plotting sheets and sectional plots can also be exported directly to DXF. Users can create planned lines in their CAD/GIS program and import them into **HYPACK®**.

DREDGEPACK®

DREDGEPACK® is a specially modified version of **HYPACK®** used for providing precise digging information on dredges. It allows you to see exactly where you are digging, how deeply you are digging and how deeply you need to dig. With the **ADVANCED CHANNEL DESIGN** program, you can create complex dredging plans. Real time cross sections are provided to show you the design profile, the depth of the cutting tool and the material that has to be removed.




DREDGEPACK® runs on cutter suction, hopper, excavator and bucket-style dredges. It can store a history of the dredge's position, draft, digging tool depth and digging status in order to meet reporting requirements. **DREDGEPACK®** has been designed to run with a minimum of user intervention. Make sure you are maximizing your dredge's efficiency with **DREDGEPACK®**




HYSWEEP®

HYSWEEP® is an optional module that integrates the collection and processing of multibeam and multiple transducer sonar systems into **HYPACK®**. Time and again, surveyors switch to **HYSWEEP®** due to the powerful tools and the ease-of-use of the package. Survey data collected in **HYSWEEP®** is fully integrated with the final products of **HYPACK®**. More surveyors use **HYSWEEP®** for multibeam data collection and processing than any other multibeam software package.



HYSWEEP® SURVEY: The data collection program of **HYSWEEP®** runs simultaneously with the **SURVEY** program of **HYPACK®**. It provides real time display, QC functions and data logging for most commercially available multibeam systems, including those from Atlas, Odom, Reson, Sea Beam and Simrad. A coverage map lets you examine the bottom coverage in real time, ensuring that you have 100% or 200% coverage before leaving the area.



MULTIBEAM EDITING: Multibeam data editing, sonar alignment calibration and system performance testing are all provided in the powerful **MULTIBEAM EDITOR** of **HYSWEEP®**. The program performs automatic or manual filtering, using geometric and statistical methods. It also contains the Performance Test that measures the overall performance of your system versus beam angle as required by USACE. **HYSWEEP®** can also use water level corrections created from RTK GPS elevations.



HYPACK, Inc.

56 Bradley St.
Middletown, CT 06457
Phone: 860-635-1500

Web: www.hypack.com
Sales: sales@hypack.com